ARCHITECTURAL REVIEW BOARD

RALPH LAUREN

RALPH LAUREN

STANFORD SHOPPING CENTER
180 EL CAMINO REAL, SPACE #383A - BLDG. M
PALO ALTO, CA 94304

PROJECT CONTACTS

TENANT:
RALPH LAUREN
601 W. 26TH STREET, 5TH FLOOR
NEW YORK, NY 10001

CONTACT: DANTE TAURO
DIRECT: (917) 748-8169
E-MAIL: DANTE.TAURO@RALPHLAUREN.COM

TENANT REPRESENTATIVE:
CHARRETTE
20 CLINTON AVE,
MAPLEWOOD, NJ 07040

CONTACT: LANDIS KAUFFMAN
DIRECT: (917) 294-9061
E-MAIL: LANDIS@CHARRETTE-MG.COM

OWNER REPRESENTATIVE:
SIMON PROPERTY GROUP
225 WEST WASHINGTON STREET
INDIANAPOLIS, IN 46204-3438 USA

CONTACT: RICHARD E. WESSELLS
MANAGER OF TENANT COORD.
TEL: (317) 464-8985
EMAIL: RWESSELLS@SIMON.COM

EXPEDITOR:
LANDSHARK DEVELOPMENT SERVICE GROUP
122 N HARBOR BLVD - #205
FULLERTON, CA 92832

CONTACT: JASON M. SMITH
TEL: (714) 235-8235
EMAIL: JSMITH@LANDSHARKDEVELOPMENT.COM

ARCHITECT OF RECORD:
TPG ARCHITECTURE LLP
31 PENN PLAZA
132 W 31ST STREET, 5TH FLOOR

AOR: THOMAS HUGHES, AIA
DIRECT: (212) 536-5089
E-MAIL: THUGHES@TPGARCHITECTURE.COM

PM: KATIE KANAKOS, RA
DIRECT: (212) 536.5048
E-MAIL: KKANAKOS@TPGARCHITECTURE.COM

MEP ENGINEER OF RECORD:
LAM+TEA ENGINEERING
901 CORPORATE CENTER DRIVE. #404
MONTEREY PARK, CA 91754

CONTACT: MALORY FAUST
DIRECT: (323) 673-8331
E-MAIL: MFAUST@LAMTEAENG.COM

STRUCTURAL ENGINEER:
KPFF
299 BROADWAY, SUITE 700
NEW YORK, NY 10007

CONTACT: LANDEN THOMAS
DIRECT: (212) 365-6691
E-MAIL: LANDEN.THOMAS@KPFF.COM

SYSTEMS CONTROL AND MONITORING
ENTOUCH CONTROLS
1755 N COLLINS BLVD # 350, RICHARDSON
TEXAS 75080

CONTACT: KARA FLOERSCH
DIRECT: (469) 744-8625
E-MAIL: KARAFLOERSCH@ENTOUCH.COM

FOH MILLWORK VENDOR
TBD
CONTACT: -
DIRECT: -

GREEN BUILDING 3RD PARTY INSPECTOR:
TBD
CONTACT: -
DIRECT: -
E-MAIL: -

FOOD SERVICE CONSULTANT
TRIMARK USA
3011 INDUSTRIAL PARKWAY EAST
KNOXVILLE, TN 37921

CONTACT: JEREMY GARCIA
DIRECT: (865) 405-3106
E-MAIL: JEREMY.GARCIA@TRIMARKUSA.COM

LANDLORD REQUIRED VENDORS

FIRE ALARM
JOHNSON CONTROLS, INC.
6952 PRESTON AVE, SUITE A
LIVERMORE, CA 94551

DIRECT: (800) 200-4377 PROMPT# 4

BARRICADE
BOSTON RETAIL SOLUTIONS

DIRECT: (772) 569-7202

SIGNAGE
SIGNWORKS - FOR BRASS ADA BRAILLE PLAQUE
1200 INDUSTRIAL ROAD, UNIT 14
SAN CARLOS, CA 94070

DIRECT: (650) 508-7446

CONCRETE
BAY AREA CONCRETE - FOR MATCHING LL FINISHED CONCRETE

DIRECT: (650) 508-7446

ROOFING
ALLIANCE ROOFING
630 MARTIN AVENUE
SANTA CLARA, CA 95050

DIRECT: (408) 261-2595

KODIAK ROOFING
8825 WASHINGTON BLVD, SUITE 100
ROSEVILLE, CA 95678

DIRECT: (916) 253-1935

STATE ROOFING
15444 HESPERIAN BLVD.
SAN LEANDRO CA 94578

DIRECT: (510) 317-1477

ELECTRICIANS
SHRADER ELECTRIC

DIRECT: (408) 371-1526

TELEPHONE/DATA
GRANITE TELECOM

DIRECT: (617) 837-4718

AT&T

DIRECT: (877) 691-9465

TRASH HAULING
GREEN WASTE OF PALO ALTO

DIRECT: (650) 493-4894

TENANT VENDORS

LIGHTING DESIGNER
GEORGE SEXTON ASSOCIATES
2121 WISCONSIN AVENUE, NW, SUITE 220
WASHINGTON, DC 20007 - 2270

CONTACT: KARIN SALCH
DIRECT: 202.337.1903
E-MAIL: KSALCH@GSADC.COM

SECURITY/PEOPLE-COUNTER/ALARMS
COORDINATE WITH RL CONSTRUCTION

AUDIO
COORDINATE WITH RL CONSTRUCTION

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

DRAWING LIST

- ● NEW / REVISED ISSUE
- ○ ISSUED NO CHANGE, FOR INFORMATION ONLY

		01.10.2024 - ARCHITECTURAL REVIEW BOARD SET
ARCHITECTURAL		
T-001	TITLE SHEET	●
G-001	CODE DATA & & RESPONSIBILITY SCHEDULE	●
G-002	MATERIALS BOARD	●
G-003	EXISTING EXTERIOR VIEWS	●
G-004	PROPOSED RENDERED EXTERIOR VIEWS	●
G-005	EXTERIOR SITE PLAN	●
G-006	SITE PLAN AND PARKING ANALYSIS	●
G-007	ZERO WASTE SHEET	●
T-1	TREE PROTECTION PLAN	●
D-101	DEMOLITION PLAN	●
A-001	LEASE OUTLINE PLAN	●
A-002	EGRESS PLAN	●
A-100	LAYOUT PLAN	●
A-101	CONSTRUCTION PLAN	●
A-201	REFLECTED CEILING PLAN	●
A-401	FINISH PLAN	●
A-402	FINISH SCHEDULE - RETAIL	●
A-403	FINISH SCHEDULE - CAFE	●
A-410	FLOOR DETAILS	●
A-501	FIXTURE PLAN	●
A-600	DOOR TYPES AND SCHEDULES	●
A-601	DOOR DETAILS	●
A-700	PLAN & ELEVATIONS - STOREFRONT	●
A-701	ENLARGED PARTIAL PLAN & ELEVATIONS - STOREFRONT	●
A-702	ENLARGED PARTIAL PLAN & ELEVATIONS - STOREFRONT	●
A-703	ENLARGED PARTIAL PLAN & ELEVATIONS - STOREFRONT	●
A-710	STOREFRONT SECTIONS	●
A-711	STOREFRONT SECTIONS	●
A-712	STOREFRONT SECTIONS	●
A-720	STOREFRONT PLAN DETAILS	●
A-721	STOREFRONT PLAN DETAILS	●
A-722	STOREFRONT SECTION DETAILS	●
A-723	STOREFRONT SECTION DETAILS	●
A-724	STOREFRONT SECTION DETAILS	●
A-725	STOREFRONT SECTION DETAILS	●
A-900	SIGNAGE DETAILS	●

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
COVER SHEET

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	
DWG NO.	G-001.00
CAD FILE NO.	T-001.00_COVER ARB.DWG
PAGE	01 of 55

K:\241\524879.0008_DRAWINGS_OUTPUTS_SHX\20250101 ISSUED FOR PERMIT SET\ARB FACADE SET\ARB REVISION\02252025\251.001.00_COVER ARB.DWG / Plot Date: Mar. 20, 2025 - 5:01 PM
Last Saved By: MHAMANI / Save Date: 3/20/2025 11:46:57 AM

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER,
PALO ALTO, CA 94304



LOCATION MAP

RALPH LAUREN
STANFORD SHOPPING CENTER,
SPACE # 383A


macy's
macy's
Neiman Marcus
Bloomingdale's
PIONEER PLAZA
PALM DRIVE
EL CAMINO REAL
VALET
SHUTTLE DROP-OFF ONLY
ENTRANCE ONLY
EXIT ONLY
Fountain
Flowerpot
Flowerpot
Flowerpot

P5 - ELECTROSTATIC PAINT
BM ESSEX GREEN W/ 10% BLACK

P4 - ELASOMERIC PAINT
BM ESSEX GREEN W/ 10% BLACK

EX1 - EXISTING STUCCO
TERRACOTTA

RL-L4 - SCONCE
CHAPMAN & MEYERS - LINEAR LARGE WALL LANTERN (29"H X 9"W X 5"D) - BRONZE

M5 - POWDER COATED METAL
MATCH BM ESSEX GREEN W/ 10% BLACK

EX3 - EXISTING PRECAST
NEUTRAL PIER BASE

EX2 - EXISTING STUCCO
GRAY

M1 - SIGNAGE
BRONZE

T1 - EXTERIOR SLATE TILE
BLACK - 12"X24"

EX4 - EXISTING PAVERS
-



T5 - EXISTING LIMESTONE
-

G1 - STOREFRONT GLAZING

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEYS FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
MATERIALS BOARD

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	SEE DWG
DWG NO.	G-002.00
CAD FILE NO.	G-001.00_-_G-005.00_GENERAL.DWG
PAGE	5 of 75

K:\241524879.0008_DRAWINGS\D_CAD\2_SHEETS\G-001.00_-_G-005.00_GENERAL.DWG | Plot Date: Jan 8, 2025 - 9:49 PM
Last Saved By: HISAM | Save Date: 1/6/2025 5:22:53 PM

EXISTING FACADE (SOUTH ELEVATION)

EXISTING FACADE (SOUTHWEST ELEVATION)

EXISTING FACADE (SOUTH ELEVATION)

SHOWN FOR REFERENCE ONLY

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
EXISTING EXTERIOR VIEWS

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	
DWG NO.	G-003.00
CAD FILE NO.	G-006.00 G-010.00_GENERAL CA SHEETS.DWG
PAGE	3 of 75

K:\24\1524879.0008_DRAWINGS_CAD\2_SHEETS\G-006.00 - G-010.00_GENERAL CA SHEETS.DWG | Plot Date: Jan. 15, 2025 - 11:08 AM
Last Saved By: MHAMANN | Save Date: 1/13/2025 7:02:32 PM

RENDERED FACADE (WEST ELEVATION)

RENDERED FACADE (SOUTHWEST ELEVATION)

RENDERED FACADE (SOUTHWEST ELEVATION)

RENDERED FACADE (SOUTH ELEVATION)

SHOWN FOR REFERENCE ONLY

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
PROPOSED RENDERED EXTERIOR VIEWS

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT THOMAS ROBERT HUGHES 26476 RENEWAL DATE 8/31/25 STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	
DWG NO.	G-004.00
CAD FILE NO.	G-006.00 - G-010.00_GENERAL CA SHEETS.DWG
PAGE	3 of 75

K:\01\1524879.0006_DRAWINGS\3_CAD\2_SHEETS\G-006.00 - G-010.00_GENERAL CA SHEETS.DWG | Plot Date: Jan. 15, 2025 - 11:08 AM
Last Saved By: MHAMANN | Save Date: 1/13/2025 7:02:22 PM


7'-0" MIN. CLEAR
7'-0" MIN. CLEAR
12'-8" VIF
10'-12" VIF
10'-12" VIF
11'-11" VIF
7'-0" MIN. CLEAR
MIRROR
MIRROR
MIRROR
MIRROR
ADA BATH
AV RACK
DATA RACK
5 BAY FS WALL CASE
5 BAY FS WALL CASE
MARKING TABLE (32 X 40)
VACUUM TABLE (TBD)
BOH POS
SHIPPING
RECEIVING
REF
SPACE BELOW
SPACE BELOW
SPACE BELOW

Stanford Shopping Center Parking and Loading Tabulation

3/13/25 Revision 7

GROSS FLOOR AREA (GFA) for Parking

BUILDING	BASEMENT	GROUND	2ND	3RD	OUTDOOR	TOTAL
C-North		26,213	11,919		0	38,132
C-South		30,754	7,546		0	38,300
D		62,860	17,691		186	80,737
E		27,452	12,678		2,386	42,516
F	15,459	44,527	6,565		0	66,551
H		21,584	0		0	21,584
L		23,610	2,467		784	26,861
M		55,048	13,596		0	68,644
N		20,403	2,710		0	23,113
P		9,955			0	9,955
V		30,859	32,637		1,674	65,170
W		10,630	0		1,148	11,778
AA		29,306	607		0	29,913
BB		25,979	25,995		174	52,148
CC		16,493	0		0	16,493
DD		16,823	16,825		0	33,648
EE (Future)		11,799	0		1,246	13,045
FF (Future)		22,268	6,473			28,741
Bloomingdale's*		120,000				120,000
Macy's*		225,830				225,830
Neiman Marcus*		120,000				120,000
Flemings		7,088			1,176	8,264
Nordstrom*		180,000				180,000
Container Store		24,116				24,116
Crate&Barrel		39,173				39,173
Bank of America		4,185				4,185
Restoration Hardware		17,713	15,524	8,613		41,850
TOTAL	**15,459**	**1,224,668**	**173,233**	**8,613**	**8,774**	**1,430,747**

GBA = Anchors, Small shops, office, storage, utility rooms, trash rooms, back of house, service corridors
GFA = GBA + outdoor space under permanent canopies

NET FLOOR AREA (NFA) for Entitlements*

BUILDING	BASEMENT	GROUND	2ND	3RD	OUTDOOR	TOTAL
C-North		22,136	2,094			24,230
C-South		29,277	4,418			33,695
D		57,726	17,691		186	75,603
E		24,167	0		2,386	26,553
F	8,461	40,995	4,386			53,842
H		18,979	0			18,979
L		21,531	0		784	22,315
M		52,107	11,142			63,249
N		20,135	2,710			22,845
P		9,955	0			9,955
V		28,279	31,126			59,405
W		10,008	0		1,148	11,156
AA		28,491	607			29,098
BB		20,167	22,829		174	43,170
CC		16,130	0			16,130
DD		16,202	16,513			32,715
EE (Future)		11,554	0		1246	12,800
FF (Future)		22,268	6,473			28,741
Bloomingdale's*		114,000				114,000
Macy's*		214,539				214,539
Neiman Marcus*		114,000				114,000
Flemings		7,220			1,176	8,396
Nordstrom*		171,000				171,000
Container Store		24,116				24,116
Crate&Barrel		39,173				39,173
Bank of America		4,185				4,185
Restoration Hardware		17,731	15,524	8,613		41,868
TOTAL	**8,461**	**1,156,071**	**135,513**	**8,613**	**7,100**	**1,315,758**
					Allowable NFA	1,412,362
					Available NFA	**96,604**

NFA = GFA - mall office space, sealed off space and common area

NOTES:
* Includes 5% reduction in Anchor Store GFA for space classified as 'non-occupied' to calculate NFA per COPA Planning Dept. letter dated Apr. 23, 2014. Note that the Redevelopment Phase I table ('Existing as of 5/23/12') pre-dated this agreement, thus did not take into account the 5% reduction for NFA therefore some figures will differ.
** per PAMC Ch. 18.16.060(e) and COPA Planning Dept. letter dated Feb. 27, 2014.
395 Quarry Road (Bank of America) has been deleted from this table. The site has an existing 4,185 sf building, 21 parking spaces and is zoned CN. The property is managed by Simon, but is not counted towards Stanford Shopping Center FAR (Gross & Net) as it is not within the PAMC 18.16.030(d) definition of "Stanford Shopping Center" properties which are defined as all properties zoned CC and bounded by El Camino Real, Sand Hill Road, Quarry Road, and Vineyard Lane.

Loading Space	Required 3/First 120k sf	Required 1/50k sf over 120k sf	Required	Existing	Proposed	Deficient
3/70,000 -120,000 sf with 1 additional space per 50,000 sf over 120,000 sf	3	26	29	24	25	4

Vehicular Parking Provided by Space Type	Notes	Regular	ADA	ADA Van Accessible	EVSE	EV (Ready)	ADA EVSE/Ready*	Dedicated Parking**	TOTAL
Required Parking Spaces 1/275 GFA									5,203
Total Parking Spaces		5,013	88	23	41	57	1	11	5,224
Excess number of spaces (Proposed - Required and Dedicated Spaces)									21

*Per AB1100: EVSE & EV Ready Van accessible & accessible spaces adjacent to an accessible path of travel are counted as 2 spaces towards the parking total
**Dedicated parking spaces are not included in the parking total. The dedicated spaces are for the following Tesla EV = 5, Rivian EV = 4, Rivian Regular = 2

1 PARKING AND LOAD TABULATION SCALE: NTS



2 MALL SITE PLAN SCALE: SEE BAR SCALE



3 ENLARGED SITE PLAN SCALE: NTS

Copyright 2024, Simon Property Group, L.P. All Rights Reserved.
This exhibit is provided for illustrative purposes only, and shall not be deemed to be a warranty, representation or agreement by Landlord that the Center, Common Areas, buildings and/or stores will be as illustrated on this exhibit, or that any tenants which may be referenced on this exhibit will at any time be occupants of the Center.Landlord reserves the right to modify size, configuration and occupants of the Center at any time.

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
SITE PLAN AND
PARKING ANALYSIS

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	
DWG NO.	G-006.00
CAD FILE NO.	G-006.00 - G-010.00_CA SHEETS.DWG
PAGE	09 of 55

K:\24\1524879-0008_DRAWINGS_CAD_SHEETS\G-006.00 - G-010.00_CA SHEETS.DWG / Plot Date: Mar. 20, 2025 - 5:15 PM
Last Saved By: MHAMANN / Save Date: 3/20/2025 5:17:52 AM

1 SIGNAGE - OPTION A SCALE: NTS

Rubbermaid® Office Recycling Container - 7 Gallon, Blue

Sturdy containers hold paper, cans and bottles for recycling.

- Tough plastic won't crack, chip or dent.
- For offices and cubicles.

H1384 - BLUE
RECYCLING
(1) IN OFFICE
(1) IN BOH WORK STATION

Rubbermaid® Office Recycling Container - 7 Gallon, Green

Sturdy containers hold paper, cans and bottles for recycling.

- Tough plastic won't crack, chip or dent.
- For offices and cubicles.

H1384 - GREEN
COMPOST
(1) IN OFFICE
(1) IN EA. RESTROOM W/ PAPER TOWEL SIGNAGE

OFFICE TRASH CANS

RUBBERMAID®

Space-efficient trash cans fit under desks.

- Lightweight plastic won't dent, rust or chip.
- Seamless design is easy to clean.
- Rolled rim adds strength, holds up liners.
- **10 Gallon** - Classic kitchen size uses 13-gallon liners.

S9970 - BLACK
LANDFILL
(1) IN OFFICE
(1) IN BOH WORK STATION

PROVIDE SIGNAGE FOR COMPOSTING/RECYCLING/LANDFILL BIN AS INDICATED ON THIS SHEET. SIGNAGE MUST BE ON EACH RECEPTACLE AND VISIBLE.

NOTE: SEE FIXTURE PLAN OF A-120 FOR LOCATION OF ALL RECEPTACLES

2 OFFICE RECYCLING RECEPTACLES SCALE: NTS

3 SIGNAGE - OPTION B SCALE: NTS

4 PAPER TOWEL SIGNAGE SCALE: NTS

SPECIFICATION IS TBD. CLIENT DECO TEAM TO PROVIDE SANITARY NAPKIN DISPOSAL FIXTURE.

NOTE: SEE FIXTURE PLAN OF A-130 FOR LOCATION OF ALL RECEPTACLES

5 RESTROOM SANITARY NAPKIN DISPOSAL SCALE: NTS

ULINE TRASH CANS WITH WHEELS

TRANSPORT BIN - RECYCLING
ULINE - 95 GAL
H7938 - BLUE

TRANSPORT BIN - COMPOST
ULINE - 95 GAL
H7938 - GREEN

TRANSPORT BIN - LANDFILL
ULINE - 95 GAL
H7938 - BLACK

PROVIDE SIGNAGE FOR COMPOSTING/RECYCLING/LANDFILL BIN AS INDICATED ON THIS SHEET. SIGNAGE MUST BE ON EACH RECEPTACLE AND VISIBLE.

NOTE: SEE FIXTURE PLAN OF A-120 FOR LOCATION OF ALL RECEPTACLES

6 ENLARGED SITE PLAN SCALE: NTS

SLIM JIM® RECYCLING CONTAINER

RUBBERMAID®

Sturdy containers hold paper, cans and bottles for recycling.

- Tough plastic won't crack, chip or dent.
- Fits where space is limited.
- Vented side channels for easy liner removal.
- Dollies and Trolley sold separately.

ULINE - H-2894 - 23 GAL - GREEN
COMPOST

ULINE - H-2894 - 23 GAL - BLUE
RECYCLING

SLIM JIM® TRASH CANS

RUBBERMAID®

Slim and trim to save space.

- Handle design holds liners securely.
- Vented side channels for easy liner removal.
- **Trolley** – Link together and move multiple Slim Jim® trash cans in one trip.
- Lids, Dollies and Trolley sold separately.

S9970 - BLACK
LANDFILL

PROVIDE SIGNAGE FOR COMPOSTING/RECYCLING/LANDFILL BIN AS INDICATED ON THIS SHEET. SIGNAGE MUST BE ON EACH RECEPTACLE AND VISIBLE.

NOTE: SEE FIXTURE PLAN OF A-120 FOR LOCATION OF ALL RECEPTACLES

7 ENLARGED SITE PLAN SCALE: NTS

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
ZERO WASTE SHEET

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	
DWG NO.	G-007.00
CAD FILE NO.	G-006.00 - G-010.00_CA SHEETS.DWG
PAGE	10 of 55

K:\24\1524879.00\08_DRAWINGS\01_CAD_SHEETS\G-006.00 - G-010.00_CA SHEETS.DWG | Plot Date: Mar 20, 2025 - 8:16 AM
Last Saved By: MHAMANN | Save Date: 3/20/2025 8:15:29 AM

City of Palo Alto

Tree Protection - It's Part of the Plan!

Make sure your crews and subs do the job right!

Fenced enclosures around trees are essential to protect them by keeping the foliage canopy and branching structure clear from contact by equipment, materials and activities, preserving roots and soil conditions in an intact and non-compacted state, and identifying the Tree Protection Zone (TPZ) in which no soil disturbance is permitted and activities are restricted, unless otherwise approved. **An approved tree protection report must be added to this sheet when project activity occurs within the TPZ of a regulated tree.**
For detailed information on Palo Alto's regulated trees and protection during development, review the **City Tree Technical Manual** (TTM) found at www.cityofpaloalto.org/trees/.

TREE DISCLOSURE STATEMENT

CITY OF PALO ALTO
Planning Division, 250 Hamilton Avenue
Palo Alto, CA 94301
(650) 329-2441
http://www.cityofpaloalto.org

Palo Alto Municipal Code, Chapter 8.10.040, requires disclosure and protection of certain trees located on private and public property, and that they be shown on approved site plans. A completed disclosure statement must accompany all building permit applications that include exterior work, all demolition or grading permit applications, or other development activity.

PROPERTY ADDRESS: 180 El Camino Real - #383A Bldg M - Palo Alto, CA 94304

Are there Regulated trees on or adjacent to the property? ☐ YES ☑ NO (If no, proceed to Section 4)

[Sections 1- 4 MUST be completed by the applicant. Please circle and/or check where applicable.]

1. Where are the trees? Check those that apply. **(Plans must be submitted showing over 4" diameter trees)**
   - ☐ On the property
   - ☐ On adjacent property overhanging the project site
   - ☐ In the City planter strip or right-of-way easement within 30' of property line (Street Trees)*

*Street trees **require special protection by a fenced enclosure**, per the attached instructions. Prior to receiving any permit, you must provide an authorized Street Tree Protection Verification form by calling Public Works Operations at 493-5953 for inspection of required type I, II or III fencing (see attached Detail #605).

2. Are there any Protected or Designated Trees? ☐ YES (Check where applicable) ☐ NO
   - ☐ Protected Tree (s)
   - ☐ Designated Tree (s)
   - ☐ On or overhanging the property

3. Is there activity or grading within the dripline? (radius 10 times the trunk diameter) of these trees? ☐ YES ☐ NO
*If Yes, a **Tree Preservation Report** must be prepared by an ISA certified arborist and submitted for staff review (see TTM , Section 6.25). Attach this report to Sheet T-1, 'Tree Protection, its Part of the Plan!", per Site Plan Requirements.*

4. Are the Site Plan Requirements** completed? ☐ YES ☑ NO

**Protection of Regulated trees during development require the following: (1) Plans must show the measured trunk diameter and canopy dripline; (2) Plans must denote, as a bold dashed line, a fenced enclosure area out to the dripline, per Sheet T-1 and Detail #605 - http://www.cityofpaloalto.org/trees/forms.htm (See also TTM , Section 2.15 for area to be fenced)

I, the undersigned, agree to the conditions of this disclosure. I understand that knowingly or negligently providing false or misleading information in response to this disclosure requirement constitutes a violation of the Palo Alto Municipal Code Section 8.10.040, which can lead to criminal and/or civil legal action.

Signature: Margaret Hamann (Prop. Owner or Agent) Print: Margaret Hamann Date: 3/20/25

FOR STAFF USE:

Protective Fencing
Sections 5-6 must be **completed by staff** for the issuance of any development permit (demolition, grading or building permit).

5. Protected Trees. The specified tree fencing is in place. A written statement is attached verifying that protective fencing is correctly in place around protected and/or designated trees. (N/A if there are no protected trees, check here ☐) ☐ YES ☐ NO

6. Street Trees. A signed Public Works Street Tree Protection Verification form is attached. (N/A if there are no street trees, check here ☐) ☐ YES ☐ NO

Regulated Trees – a) Street trees – trees on public property; b) Protected trees – Coast Live Oaks or Valley Oaks which are 11.5" in diameter or larger, Coast Redwoods which are 18" in diameter or larger, when measured 54" above natural grade; and Heritage trees are trees designated by City Council; and c) Designated Trees – commercial or non-residential property trees, which are part of an approved landscape plan.

Palo Alto Tree Technical Manual (TTM) contains instructions for all requirements on this form, available at http://www.cityofpaloalto.org/planning-community/tree_technical-manual.html

S:Plan/Pladv/Arborist/Tree Protection Info/Tree Disclosure Statement — Revised 08/06

For written specifications associated with illustrations below, see Public Works Specifications Section 31
Detailed specifications are found in the Palo Alto Tree Technical Manual (TTM) (www.cityofpaloalto.org/trees/)

Tree Protection Zone (TPZ) shown in gray (radius of TPZ equals 10-times the diameter of the tree at 10-feet, whichever is greater).
★ Restricted activity area -- see Tree Technical Manual Sec 2.15(E).
★ Restricted trenching area -- see Tree Technical Manual Sec 2.20(C-D), any proposed trench or form work within TPZ of a protected tree requires approval from Public Works Operations. Call 650-496-5953.



Type I Tree Protection

For all Ordinance Protected and Designated trees, as detailed in the site specific tree preservation report (TPR) prepared by the applicant's project arborist as diagramed on the plans.

Note: Ordinance Protected & Designated Trees. Issuance of a permit requires applicant's project arborist written verification Type I is installed correctly according to the plans and Tree Preservation Report



Type II Tree Protection



Note: Street Trees. Issuance of a permit requires Public Works Operations inspection and signed approval on the Street Tree Verification (STV) form provided.

Type III Tree Protection
(to be used only with approval of Public Works Operations)

Tree fencing is required and shall be erected before demolition, grading or construction begins.

Rev	By	Date
0	DWH	12/14/92
01	D.D.	08/04/04
#2	D.D.	08/10/06

Tree Protection During Construction

Scale: NTS — City of Palo Alto Standard

Approved by: Dave Dockter
PE No. ____
Date 2006
Dwg No. 605

APPENDIX J
PALO ALTO
STREET TREE PROTECTION INSTRUCTIONS
--SECTION 31--

31-1 General
a. Tree protection has three primary functions, 1) to keep the foliage canopy and branching structure clear from contact by equipment, materials and activities; 2) to preserve roots and soil conditions in an intact and non-compacted state and 3) to identify the Tree Protection Zone (TPZ) in which no soil disturbance is permitted and activities are restricted, unless otherwise approved.
b. The Tree Protection Zone (TPZ) is a restricted area around the base of the tree with a radius of ten-times the diameter of the tree's trunk or ten feet; whichever is greater, enclosed by fencing.

31-2 Reference Documents
a. Detail 605 – Illustration of situations described below.
b. Tree Technical Manual (TTM) Forms (http://www.cityofpaloalto.org/trees)
1. Trenching Restriction Zones (TTM, Section 2.20(C))
2. Arborist Reporting Protocol (TTM, Section 6.30)
3. Site Plan Requirements (TTM, Section 6.33)
4. Tree Disclosure Statement (TTM, Appendix J)
c. Street Tree Verification (STV) Form (http://www.cityofpaloalto.org/trees/forms)

31-3 Execution
a. Type I Tree Protection: The fence shall enclose the entire TPZ of the tree(s) to be protected throughout the life of the construction project. In some parking areas, if fencing is located on paving or concrete that will not be demolished, then the posts may be supported by an appropriate grade level concrete base, if approved by Public Works Operations.
b. Type II Tree Protection: For trees situated within a planting strip, only the planting strip and yard side of the TPZ shall be enclosed with the required chain link protective fencing in order to keep the sidewalk and street open for public use.
c. Type III Tree Protection: To be used only with approval of Public Works Operations. Trees situated in a tree well or sidewalk planter pit, shall be wrapped with 2-inches of orange plastic fencing from the ground to the first branch and overlaid with 2-inch thick wooden slats bound securely (slats shall not be allowed to dig into the bark). During installation of the plastic fencing, caution shall be used to avoid damaging any branches. Major limbs may also require plastic fencing as directed by the City Arborist.
d. Size, type and area to be fenced. All trees to be preserved shall be protected with six (6') foot high chain link fences. Fences are to be mounted on two-inch diameter galvanized iron posts, driven into the ground to a depth of at least 2-feet at no more than 10-foot spacing. Fencing shall extend to the outer branching, unless specifically approved on the STV Form.
e. 'Warning' signs. A warning sign shall be weather proof and prominently displayed on each fence at 20-foot intervals. The sign shall be minimum 8.5-inches x 11-inches and clearly state in half inch tall letters: "WARNING - Tree Protection Zone - This fence shall not be removed and is subject to a fine according to PAMC Section 8.10.110."
f. Duration. Tree fencing shall be erected before demolition; grading or construction begins and remain in place until final inspection of the project, except for work specifically allowed in the TPZ. Work or soil disturbance in the TPZ requires approval by the project arborist or City Arborist (in the case of work around Street Trees). Excavations within the public right of way require a Street Work Permit from Public Works.
g. During construction
1. All neighbors' trees that overhang the project site shall be protected from impact of any kind.
2. The applicant shall be responsible for the repair or replacement plus penalty of any publicly owned trees that are damaged during the course of construction, pursuant to Section 8.04.070 of the Palo Alto Municipal Code.
3. The following tree preservation measures apply to all trees to be retained:
   a. No storage of material, topsoil, vehicles or equipment shall be permitted within the TPZ.
   b. The ground under and around the tree canopy area shall not be altered.
   c. Trees to be retained shall be irrigated, aerated and maintained as necessary to ensure survival.

END OF SECTION
City of Palo Alto 2004 Standard Drawings and Specifications
Street Tree Verification of Protection, PWE, Section 31 — Revised 08/06

Table 2-2 Palo Alto Tree Technical Manual

CONTRACTOR & ARBORIST INSPECTION SCHEDULE

Reference: the Palo Alto Tree Technical Manual is available at www.cityofpaloalto.org/environment/

ALL CHECKED ITEMS APPLY TO THIS PROJECT:

1. ☑ **Inspection of Protective Tree Fencing**. For Public Trees, the Street Tree Verification Form shall be signed by the City Arborist. For Protected Trees, the project site arborist shall provide an initial Monthly Tree Activity Report form with a photograph verifying that he has conducted a field inspection of the trees and that the correct type of protective fencing is in place around the designated tree protection zone (TPZ) prior to issuance of a demolition, grading, or building permit. (See TTM, Verification of Tree Protection, Section 1.39).
2. ☑ **Pre-Construction Meeting**. Prior to commencement of construction, the applicant or contractor shall conduct a pre-construction meeting to discuss tree protection with the job site superintendent, grading operators, project site arborist, City Arborist, and, if a city maintained irrigation system is involved, the Parks Manager (Contact 650-496-6962).
3. ☑ **Inspection of Rough Grading or Trenching**. Contractor shall ensure the project site arborist performs an inspection during the course of rough grading or trenching adjacent to or within the TPZ to ensure trees will not be injured by compaction, cut or fill, drainage and trenching, and if required, inspect aeration systems, tree wells, drains and special paving. The contractor shall provide the project arborist at least 24 hours advance notice of such activity.
4. ☑ **Monthly Tree Activity Report Inspections**. The project site arborist shall perform a minimum monthly activity inspection to monitor and advise on conditions, tree health and retention or, immediately if there are *any revisions* to the approved plans or protection measures. The Tree Technical Manual Monthly Tree Activity Report format shall be used and sent to the Planning Dept. landscape review staff no later than 14 days after issuance of building permit date. Fax to (650) 329-2154. (See TTM, Monthly Tree Activity Inspection Report, Addendum 11 & section 1.17).
5. ☑ **Special activity within the Tree Protection Zone**. Work in the TPZ area (see also #7 below) requires the direct onsite supervision of the project arborist (see TTM, Trenching, Excavation & Equipment, Section 2.20 C).
6. ☐ **Landscape Architect Inspection**. For discretionary development projects, prior to temporary or final occupancy the applicant or contractor shall arrange for the Landscape Architect to perform an on site inspection of all plant stock, quality of the materials and planting (see TTM, Planting Quality, Section 5.20.1 A) and that the irrigation is functioning consistent with the approved construction plans. The Planning Dept. landscape review staff shall be in receipt of written verification of Landscape Architect approval prior to scheduling the final inspection, unless otherwise approved.
7. ☐ **List Other** (please describe as called out in the site Tree Preservation Report, Sheet T-1, T-2, etc.)
   - _____
   - _____

City of Palo Alto
250 Hamilton Avenue, Palo Alto, CA 94301

Search: Advanced — Browse By Topic

Home > Planning & Community Environment

Home
City-owned Trees
Privately-owned Trees
About the Tree Ordinance
Title 8.10
Heritage Trees
Forms
Tree Technical Manual
FAQs
Contact Us
Resources

Tree Technical Manual

To purchase the Tree Technical Manual

June, 2001 First Edition

View by section:

- Table of Contents (PDF, 87KB)
- Intent and Purpose (PDF, 1.05MB)
- Introduction - Use of Manual (PDF, 1.05MB)
- Section 1.0 - Definitions (PDF, 96KB)
- Section 2.0 - Protection of Trees During Construction (PDF, 259KB)
- Section 3.0 - Removal, Replacement & Planting of Trees (PDF, 117KB)
- Section 4.0 - Hazardous Trees (PDF, 105KB)
- Section 5.0 - Tree Maintenance Guidelines (PDF, 110KB)
- Section 6.0 - Tree Reports (PDF, 84KB)

View ALL sections:

- Tree Technical Manual - Full (PDF, 1.84MB)

APPENDICES
A: Palo Alto Municipal Code Chapter 8.10, Tree Preservation & Management Regulations
B: Tree City - USA
C: ISA Hazard Evaluation Form
D: List of Inherent Failure Patterns for Selected Species (Reference source)
E: ISA Tree Pruning Guidelines (PDF, 1.85MB)
F: Tree Care Safety Standards, ANSI Z133.1-1994 (Reference source)
G: Pruning Performance Standards, ANSI A300-1995 (Reference source) H: Tree Planting Details, Diagram 504 & 505
I: Tree Disclosure Statement
J: Palo Alto Standard Tree Protection Instructions

City of Palo Alto
Tree Department
Public Works Operations
PO Box 10250 Palo Alto, CA 94303
650/496-5953 FAX: 650/852-9289
treeprotection@CityofPaloAlto.org

Verification of Street Tree Protection

Applicant Instructions: Complete upper portion of this form. Mail or FAX this form along with signed Tree Disclosure Statement to Public Works Dept. Public Works Tree Staff will inspect and notify applicant.

APPLICATION DATE:	
ADDRESS/LOCATION OF STREET TREES TO BE PROTECTED:	
APPLICANT'S NAME:	
APPLICANT'S ADDRESS:	
APPLICANT'S TELEPHONE & FAX NUMBERS:	

This section to be filled out by City Tree Staff

1. The Street Trees at the above address(es) are adequately protected. The type of protection used is:	YES ☐ NO* ☐ * If NO, go to #2 below
Inspected by:	
Date of Inspection:	
2. The Street Trees at the above address are **NOT** adequately protected. The following modifications are required:	
Indicate how the required modifications were communicated to the applicant.	
Subsequent Inspection	
Street trees at above address were found to be adequately protected:	YES ☐ NO* ☐ * If NO, indicate in "Notes" below the disposition of case.
Inspected by:	
Date of Inspection:	
Notes: List City street trees by species, site, condition and type of tree protection installed. Also note if pictures were taken. Use back of sheet if necessary.	

Return approved sheet to Applicant for demolition or building permit issuance.
S:PWD/OPS/Trees/DS/St.TreeProtect — 5/1706

City of Palo Alto Tree Technical Manual — ADDENDUM 11

Arborist Firm Data Here — email, RCA/ISA Certified Arborist #WE-000, Contract Cell #

Monthly Tree Activity Report- *Construction Site*

Inspection Date: _____ **Inspection #**_____	**Site address:** _____ Palo Alto, CA	**Contractor-Main Site Contact Information**	#1 - Job site superintendent Company: Email: Job site Office: Cell: Mail:
		Also present:	• _____ • _____
Distribution:	1. City of Palo Alto 2. Others	**Attn: Dave Dockter**	Dave.dockter@cityofpaloalto.org 650-329-2440

Provide the neglected minimum information with each report, customize as necessary. To be completed by project site arborist. Send monthly to city arborist at above address until project completion. Use additional sheets as needed.

1. Assignment Activity (Demolition/grading/sewer/trenching/foundation/list relevant visits)
   a. Pre-construction meetag requirement with sub-contractors
   b. Inspect to verify that tree protection measures are in place
   c. Determine if field adjustments, watering or plan revisions may be needed
2. Field Observations (general site-wide and list by individual tree number)
   a. Tree Protection Fences (TPF) are …
   b. Trenching has/will occur …
3. Action Items (list site-wide, by tree number and date to be satisfied) and Date Due
   a. Tree Protection Fence (TPF) needs adjusting (tree # x, x, x)
   b. Root zone buffer material (wood chips) can be installed next
   c. Schedule sewer trench, foundation dig with …
4. Photographs (use often)
5. Tree Location Map (mandatory 8.5 x 11 sheet)
6. Recommendations, notes or monitor items for project/staff/schedule
   •
7. Past visits (list carry-over items satisfied/still outstanding)
   •

Respectfully submitted,

Project site arborist
Consultant contact information (Include email, cell#, and mailing)
Cc:

Enter Date — CPA Monthly Tree Activity Report: Type site address here — Page #1 of 1

---WARNING---
Tree Protection Zone

This fencing shall not be removed without City Arborist approval (650-496-5953)

Removal without permission is subject to a $500 fine per day*

Palo Alto Municipal Code Section 8.10.110

City of Palo Alto Tree Protection Instructions are located at http://www.city.palo-alto.ca.us/trees/technical-manual.html

SPECIAL INSPECTIONS — **PLANNING DEPARTMENT**

TREE PROTECTION INSPECTIONS MANDATORY

PAMC 8.10 PROTECTED TREES. CONTRACTOR SHALL ENSURE PROJECT SITE ARBORIST IS PERFORMING REQUIRED TREE INSPECTION AND SITE MONITORING. PROVIDE WRITTEN MONTHLY TREE ACTIVITY REPORTS TO THE PLANNING DEPARTMENT LANDSCAPE REVIEW STAFF BEGINNING 14 DAYS AFTER BUILDING PERMIT ISSUANCE.

BUILDING PERMIT DATE: _____

DATE OF 1ST TREE ACTIVITY REPORT: _____

CITY STAFF: _____

REPORTING DETAILS OF THE MONTHLY TREE ACTIVITY REPORT SHALL CONFORM TO SHEET T-1 FORMAT, VERIFY THAT ALL TREE PROTECTION MEASURES ARE IMPLIMENTED AND WILL INCLUDE ALL CONTRACTOR ACTIVITY, SCHEDULED OR UNSCHEDULED, WITHIN A TREE PROTECTION ROOT ZONE. NON-COMPLIANCE IS SUBJECT TO VIOLATION OF PAMC 8.10.080. REFERENCE: PALO ALTO TREE TECHNICAL MANUAL, SECTION 2.00 AND ADDENDUM 11.

Apply Tree Protection Report on sheet(s) T-2

Use addtional "T" sheets as needed

Project Data

All other tree-related reports shall be added to the space provided on this sheet (adding as needed)
Include this sheet(s) on Project Sheet Index or Legend Page.
A copy of T-1 can be downloaded at
http://www.cityofpaloalto.org/civica/filebank/blobdload.asp?BlobID=6460

Special Tree Protection Instruction Sheet
City of Palo Alto

T-1 (duplicate)

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
CODE DATA &
RESPONSIBILITY INFORMATION

FOR ARB EXHIBIT

SEAL — LICENSED ARCHITECT ROBERT HUGHES 26476 STATE OF CALIFORNIA RENEWAL DATE 08/31/25

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	1
DWG NO.	T-1
CAD FILE NO.	G-001.00 - G-005.00_GENERAL.DWG
PAGE	2 of 75

K:\2015\524879.00\08_DRAWINGS\2_CAD\3_SHEETS\G-001.00 - G-005.00_GENERAL.DWG | Plot Date: Jan. 14, 2025 - 6:42 AM
Last Saved By: MHAMANN | Save Date: 1/13/2025 1:04:15 PM



NOTE: BARRICADE LAYOUT FOR REFERENCE ONLY. G.C. TO ENGINEER, SEPARATELY PERMIT, CONSTRUCT AND WEATHER-PROOF BARRICADE AS REQUIRED.

1 DEMOLITION PLAN

SCALE: 1/4"=1'-0"

GENERAL NOTES

1. CONTRACTOR IS RESPONSIBLE TO VISIT SITE & CAREFULLY EXAMINE WORK OF THIS SECTION TO FAMILIARIZE THEMSELVES w/ EXIST. CONDITIONS, SCOPE OF WORK & DIFFICULTIES THAT MAY ATTEND EXECUTION OF WORK. CONTRACTOR MUST CONTACT LL IN ADVANCE FOR ACCESS TO SPACE.
2. DRAWINGS MAY NOT SHOW ALL REMOVALS REQUIRED. CONTRACT INCLUDES ALL WORK NECESSARY TO PRODUCE FINAL DESIGN AS SHOWN LEAVING NO EXIST. WORK THAT IS NO LONGER NEEDED. GC TO IDENTIFY AND CONFIRM ALL EXISTING CEILING MOUNTED ELEMENTS TO REMAIN AND TO BE REMOVED.
3. CONTRACTOR IS RESPONSIBLE FOR ENTIRE DEMOLITION OF SPACE FOLLOWING TENANT POSSESSION OF SPACE. THIS INCLUDES, BUT IS NOT LIMITED TO: WALLS, CEILINGS, FINISHES, EQUIPMENT, ELECTRICAL, HVAC & PLUMBING LINES AS REQUIRED.
4. CONTRACTOR IS RESPONSIBLE FOR PROVIDING NECESSARY PROTECTION AGAINST DIRT & DAMAGE & KEEPING PUBLIC SPACE CLEAN & FREE OF MATERIALS AT ALL TIMES.
5. CONTRACTOR IS RESPONSIBLE FOR ANY DAMAGES INCURRED BY PUBLIC AREAS DURING ALL PHASES OF WORK.
6. GC TO STUDY LL CONSTRUCTION GUIDE PRIOR TO ANY DEMO.
7. CONTRACTOR TO KEEP JOB SITE FREE OF ALL MATERIALS & BROOM-CLEAN & CONTROL CONSTRUCTION AREA TO JOB SITE & INFILTRATING AREAS OUTSIDE PROJECT AT ALL TIMES.
8. CONTRACTOR IS RESPONSIBLE FOR CLEAN-UP & CARTING FOR ALL TRADES, WHETHER OR NOT UNDER THEIR JURISDICTION.
9. ALL LIFE-SAFETY SYSTEMS & DEVICES TO REMAIN THROUGHOUT ALL PHASES OF CONSTRUCTION UNTIL REPLACEMENT.
10. GC TO PROVIDE ALL TEMP ACCOMMODATIONS FOR CONSTRUCTION. SITE MUST BE CODE & LL COMPLIANT THROUGHOUT DURATION OF PROJECT.
11. GC TO NOTIFY ARCHITECT OF ANY DISCREPANCIES FROM EXISTING SITE CONDITIONS TO DWG'S PRIOR TO DEMO.
12. NOTIFY ARCHITECT OF ANY EXIST. CONTROL/EXPANSION JOINTS.
13. GC TO PROTECT ALL EXISTING FIRE PROOFING AND MAINTAIN RATINGS. PREP TO PATCH ANY DAMAGED FIRE PROOFING.
14. GC TO OVERLAY NEW CONSTRUCTION PLAN TO EXIST FLOOR PLAN AND NEW RCP TO EXISTING CEILING PLAN TO CONFIRM NO OBSTRUCTIONS
15. G.C. TO IDENTIFY LL CONNECTIONS AND COORDINATE ALL IN-SLAB PLUMBING CONNECTIONS WITH MEP DRAWINGS.
16. GC TO FULLY COORDINATE w/ ENTIRE DRAWING SET FOR ANY SCHEDULED SLAB MODIFICATION; INCLUDING, BUT NOT LIMITED TO, POWER / DATA, FINISH, CONSTRUCTION, PLUMBING.
17. GC TO PROVIDE PRICE FOR SLAB SCANNING TO CONFIRM ANY OBSTRUCTIONS.
18. GC TO PROTECT ALL EXISTING COLUMNS. EXISTING FIRE RATING(S) TO REMAIN & BE MAINTAINED.
19. DURING CONSTRUCTION, AT LEAST ONE EXTINGUISHER SHALL BE PROVIDED ON EACH FLOOR LEVEL AT EACH STAIRWAY, IN ALL STORAGE AND CONSTRUCTION SHEDS, IN LOCATIONS WHERE FLAMMABLE OR COMBUSTIBLE LIQUIDS ARE STORED OR USED ABD WHERE OTHER SPECIAL HAZARDS ARE PRESENT PER CFC SECTION 3315.1
20. BUILDING UNDERGOING CONSTRUCTION, ALTERATION, OR DEMOLITION SHALL CONFORM TO CFC CHAPTER 33. WELDING, CUTTING, AND OTHER HOT WORK SHALL BE IN CONFORMANCE WITH CFC CHAPTER 35
21. OPEN FLAMES, FIRE, AND BURNING ON ALL PREMISES IS PROHIBITED EXCEPT AS SPECIFICALLY PERMITTED BY THE CITY OF SAN DIEGO AND CFC 308
22. GC TO ADHERE TO INDOOR AIR QUALITY REQUIREMENTS AS OUTLINED IN LETTERS PROVIDED.

DEMO LEGEND

SYMBOL	DESCRIPTION
	EXISTING CONSTRUCION TO REMAIN
	NOT IN CONTRACT (N.I.C.)
	DEMO
88	COLUMN TAG
DX	KEY NOTE
	DIMENSION LINE
	EXISTING DOOR & FRAME TO REMAIN
	LEASELINE

KEY NOTES

TAG	DESCRIPTION
1	GC TO REMOVE EXISTING EXTERIOR LIGHT FIXTURE ABOVE GLAZED STOREFRONT SYSTEM - TYPICAL. PATCH AND REPAIR TO MATCH ADJACENT SURFACE. COORDINATE SCOPE OUTSIDE OF LEASELINE WITH LL.
2	GC TO REMOVE EXISTING FLOOR AND PREP SLAB FOR NEW FLOOR FINISH. REMOVE ANY EXISTING FINISHES, ADHESIVES, RESIDUE, ETC. AS REQUIRED FOR INSTALLATION OF NEW FINISH. FINISH FLOOR MUST BE FLUSH ACROSS ALL SPACES; FLOAT FLOOR AS REQUIRED FOR FLUSH, LEVEL FINISH (¼" MAX TOLERANCE ACROSS ENTIRE SPACE). GC TO INCLUDE MINIMUM OF 1" FLOAT ACROSS SPACE. GC TO VIF LEASE LINE WITH LANDLORD PRIOR TO DEMOLITION. GC TO PROVIDE SCAN FOR LEVELNESS FOR REVIEW BY CLIENT, ARCHITECT AND MILLWORKER, BOTH BEFORE AND AFTER LEVELING
3	GC TO CONFIRM IF EXISTING DEMISING WALL IS FULL HEIGHT WITH GYP. BOARD TO UNDERSIDE OF DECK & FULLY RATED. G.C. TO FIRESTOP ANY NEW OR EXISTING PENETRATIONS AS REQUIRED.
4	GC TO REMOVE EXISTING PARTITIONS, MILLWORK & DOORS/FRAMES (SHOWN DASHED); DISCARD AS REQUIRED, UNLESS OTHERWISE NOTED. PATCH & FINISH AND EXPOSED EDGES OR DAMAGED SURFACES.
5	EXISTING CEILING TO REMAIN; GC TO REMOVE EXISTING LIGHTING AND CEILING EQUIPMENT UNLESS OTHERWISE NOTED. G.C. TO CUT POWER BACK TO ELECTRICAL PANEL. SEE MEP FOR DEMOLITION/REUSE SCOPE.
6	EXISTING LANDLORD NEUTRAL PIER. PROTECT THROUGHOUT CONSTRUCTION, PATCH AND REPAIR AS REQUIRED TO MAINTAIN APPEARANCE. COORDINATE FINISHES WITH LANDLORD.
7	NOTIFY ARCHITECT/ TENANT PROJECT MANAGER OF ANY FLOOR EXPANSION/ CONTROL JOINTS OR OF ANY CHANGES OF LEVEL OF FLOOR SLAB.
8	LANDLORD BULKHEAD ABOVE. PROTECT BULKHEAD, CEILING, DEVICES, AND ALL MECHANICAL CONNECTIONS. GC TO NOTIFY CLIENT, ARCHITECT AND ENGINEER IF ANY EQUIPMENT INTERFERES WITH PROPOSED CONSTRUCTION.
9	GC TO PROTECT EXTERIOR LL PAVERS THROUGHOUT DEMOLITION AND CONSTRUCTION. GC TO COORDINATE WITH STOREFRONT VENDOR FOR ANY MODIFICATIONS REQUIRED TO MALL TILE.
10	EXISTING COLUMN TO REMAIN; GC TO EXPOSE COLUMN AND VERIFY IF ANY FIREPROOFING IS PRESENT. GC TO FIELD VERIFY EXACT LOCATION OF STRUCTURE AND NOTIFY ARCHITECT AND MILLWORKER OF ANY DISCREPANCIES. PROTECT COLUMN AND ANY FIREPROOFING THROUGHOUT DEMOLITION AND CONSTRUCTION. MAINTAIN EXISTING FIRE RATING. PATCH/REPAIR IF REQUIRED. COORDINATE INSTALLATION OF NEW COLUMN ENCLOSURE OR MILLWORK (WHERE OCCURS).
11	GC TO ENSURE FLOOR IS LEVELED TO RECEIVE MOBILE SHELVING, PATCH/LEVEL AS REQUIRED. 1/8" MAX TOLERANCE ACROSS ROLLING SHELF RUN; PATCH TO THIS TOLERANCE IN AREA OF ROLLING SHELVES ONLY. CONFIRM WITH VENDOR.
12	GC TO VERIFY THE EXTENT OF DEMOLITION AT THE STOREFRONT AND VERIFY ALL EXISTING CONDITIONS. GC TO NOTIFY CLIENT, ARCHITECT AND ENGINEER IF ANY DISCREPANCIES EXIST THAT WOULD IMPEDE THE PROPOSED CONSTRUCTION.
13	REMOVE ANY FLOOR RECESS DEVICES AND PATCH TO ORIGINAL LEVEL IF NOT BEING REUSED IN NEW CONSTRUCTION. TERMINATE ALL POWER NOT USED BACK TO SOURCE. ALL FLOOR PENETRATIONS TO BE FIRE STOPPED TO MAINTAIN EXISTING FIRE RATING.
14	GC TO TRENCH AS REQUIRED FOR ANY FLOOR BOXES OR WHIPS AS REQUIRED FOR MILLWORK AND/OR FURNITURE CONNECTIONS. ALL FLOOR BOX AND WHIP LOCATIONS TO BE CONFIRMED WITH MILLWORKER PRIOR TO ANY SLAB CUTTING. GC TO SCAN SLAB PRIOR TO DEMO TO LOCATE ALL REBAR; NOTIFY ARCHITECT IF LOCATION SHOWN IS UNACHIEVABLE.
15	GC TO PROTECT LANDLORD EQUIPMENT, DUCTWORK AND PIPES THROUGHOUT DEMOLITION AND CONSTRUCTION.
16	REMOVE EXISTING SCONCE AT FACADE. POWER TO REMAIN. PREP FOR NEW SCONCE AS SCHEDULED. SEE RCP.
17	REMOVE EXISTING PLATFORM. PREP SLAB FOR NEW FINISH AS SCHEDULED.
18	REMOVE EXISTING SIGNANGE AND ASSOCIATED EQUIPMENT. PREP TO RECEIVE NEW FACADE TREATMENT AS SCHEDULED.
19	EXISTING DEMISING WALL BY LL. GC TO CONFIRM LOCATION. ADVISE OF ANY DISCREPANCIES.
20	REMOVE ANY FLOOR RECESS DEVICES AND PATCH TO ORIGINAL LEVEL IF NOT BEING REUSED IN NEW CONSTRUCTION. TERMINATE ALL POWER NOT USED BACK TO SOURCE. ALL FLOOR PENETRATIONS TO BE FIRE STOPPED TO MAINTAIN EXISTING FIRE RATING.
21	EXISTING DIFFUSERS TO BE REMOVED U.O.N. REFER TO MECHANICAL DEMOLITION PLAN FOR LOCATION OF EXISTING DUCTWORK TO BE DEMOLISHED. COORDINATE WITH MEP DEMOLITION PLANS FOR MODIFICATION SCOPE AND EXTENT OF DEMOLITION. PROTECT EXISTING DUCTS AND EQUIPMENT, INCLUDING MALL DUCTS AND EQUIPMENT, THROUGHOUT DEMO & CONSTRUCTION AS REQ'D.
22	EXISTING ELECTRICAL EQUIPMENT LOCATION, SEE ELEC. DWGS. REFER TO MEP DRAWINGS FOR FULL DEMOLITION SCOPE. G.C. TO PROTECT ANY EQUIPMENT TO REMAIN.
23	DEMO/CUT EXISTING FACADE AND WALL TO ACHIEVE LAYOUT PER DRAWINGS. SEE STOREFRONT SHEETS FOR MORE INFORMATION. PATCH AND REPAIR ADJACENT NEUTRAL PIERS AS REQUIRED.
24	REMOVE EXISTING STOREFRONT WINDOW GLAZING AND CUT FACADE BASE. TO ACHIEVE LAYOUT PER DRAWINGS. STOREFRONT SYSTEM FRAME TO REMAIN. SEE STOREFRONT DRAWINGS FOR MORE INFORMATION
25	G.C. TO PATCH EXISTING FLOOR SLAB AT ALL PLUMBING REMOVALS. MATCH EXISTING CONSTRUCTION AND FIRE RATING; FIRESTOP AS REQUIRED.
26	POST DEMOLITION, G.C. TO LOCATE ALL LANDLORD EQUIPMENT, DUCTWORK, PIPING, ETC. TO REMAIN. NOTIFY ARCHITECT, LL AND CLIENT IF ANY EQUIPMENT REQUIRES ACCESS OR IMPEDES PROPOSED CON.
27	G.C. TO REMOVE AND DISPOSE OF ANY CASEWORK, FURNITURE, EQUIPMENT, ETC. REMAINING IN THE SPACE UNLESS OTHERWISE NOTED.
28	GC TO PREP FLOOR TO RECEIVE NEW FLOOR FINISH.
29	BARRICADE BY GC - PERMITTED UNDER SEPARATE APPLICATION. GC TO COORDINATE LOCATION, REQUIREMENTS, AND GUIDELINES WITH LANDLORD. PREP FOR GRAPHICS. COORDINATE FINAL DIRECTION WITH RL. BARRICADE TO RECEIVES A CONTINUOUS WEATHERPROOFING HARDTOP BARRICADE LID, SECURED TO BARRICADE AND EXISTING EXTERIOR WALL. PATCH AND REPAIR AS REQUIRED AFTER REMOVAL OF SUPPORT TO RESTORE SURFACE CONDITION.
30	GC TO PROBE EXISTING SHOW WINDOW PLATFORMS. CONFIRM NO EXISTING OBSTRUCTIONS INHIBIT DESIGN INTENT.

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
DEMOLITION PLAN

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	D-101.00
CAD FILE NO.	D-101.00_DEMO.DWG
PAGE	11 of 75

K:\01\1524879.0000_DRAWINGS\3_CAD\2_SHEETS\D-101.00_DEMO.DWG | Plot Date: Jan. 14, 2025 - 6:51 AM
Last Saved By: MAHAMAN | Save Date: 1/14/2025 6:31:41 AM



1 GROUND FLOOR CONSTRUCTION PLAN

SCALE: 1/4"=1'-0"

GENERAL NOTES

1. REFER TO MASTER LEGEND, MASTER RESPONSIBILITY MATRIX, AND MASTER SCHEDULES ON G-SHEETS FOR ALL INFORMATION PERTAINING TO THESE ITEMS.
2. ARCHITECT UNABLE TO PERFORM FULL SURVEY DUE TO PREVIOUS TENANT RESTRICTIONS.
3. GC TO SUBMIT L.O.D. VERIFICATION DRAWING PRIOR TO FRAMING NEW LAYOUT. GC TO NOTIFY OWNER AND ARCHITECT IMMEDIATELY AND DOCUMENT ANY CONDITIONS THAT DIFFER FROM THE PLANS HEREIN.
4. GC TO NOTIFY ARCHITECT OF ANY CONDITIONS THAT WOULD PREVENT COMPLETION OF PROPOSED DESIGN.
5. GC TO NOTIFY ARCHITECT OF ANY EXISTING EXPANSION AND/OR CONTROL JOINTS TO BE ADDRESSED.
6. GC TO CONFIRM ANY DISCREPANCIES AT EXISTING STOREFRONT.
7. GC TO NOTIFY ARCHITECT OF ANY DAMAGES TO BE RECTIFIED AS REQUIRED PRIOR TO CONSTRUCTION.
8. GC TO CONFIRM CONDITION OF ALL EXISTING ITEMS TO REMAIN. GC TO ENSURE THE GOOD CONDITION FOR ALL EXISTING ITEMS TO REMAIN. NOTIFY ARCHITECT OF ANY EXISTING ITEMS TO REMAIN THAT REQUIRE REPLACEMENT OR REPAIR.
9. GC TO NOTIFY ARCHITECT OF ANY CONDITIONS OR CONFLICTS THAT WILL PREVENT COMPLETION OF DUCTWORK LAYOUT AND HVAC DESIGN PRIOR TO FABRICATION.
10. GC TO CONFIRM EXISTING STRUCTURAL CONDITIONS.
11. GC TO VERIFY FLOOR TO CEILING HEIGHT AT NOTED LOCATIONS, NOTE ANY VARIATION IN FLOOR SLAB HEIGHT.
12. GC TO VERIFY & NOTIFY ARCHITECT OF ANY EXISTING BASE BUILDING BEAMS, MEP, HVAC, OR STRUCTURAL ELEMENTS NOT INCLUDED ON THE PLAN THAT WOULD PREVENT OR OTHERWISE INTERFERE WITH THE PROPOSED DESIGN INTENT.

LEGEND

SYMBOL	DESCRIPTION
	EXISTING CONSTRUCION TO REMAIN
	NOT IN CONTRACT (N.I.C.)
	CENTERLINE
88	COLUMN TAG
1/X	KEY NOTE
	DIMENSION LINE
	EXISTING DOOR & FRAME TO REMAIN

KEY NOTES

TAG	DESCRIPTION
1	REFER TO START POINT FOR DIMENSIONING AND LAYOUT OF PLANS.
2	G.C. TO VERIFY AND DOCUMENT EXISTING SLAB, SOFFIT, STRUCTURE, AND BASE BUILDING INFRASTRUCTURE CONDITIONS AND NOTIFY ARCHITECT. VERIFY ALL DIMENSIONS SHOWN

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE; MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
LEASE OUTLINE VERIFICATION PLAN

FOR ARB EXHIBIT

SEAL

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-001.00
CAD FILE NO.	A-001.00_LEASE OUTLINE.DWG
PAGE	11 of 75

K:\24\1524879.00\B_DRAWINGS\2_CAD\2_SHEETS\A-001.00_LEASE OUTLINE.DWG | Plot Date: Jan. 8, 2025 - 9:51 PM
Last Saved By: HSU,AH | Save Date: 1/6/2025 2:23:04 PM



NOTE: REFER TO SHEET G-001 FOR CODE DATA & OCCUPANCY CALCULATIONS.

1 EGRESS & LIFE SAFETY PLAN

SCALE: 1/4"=1'-0"

GENERAL NOTES

1. MAINTAIN 3'-8" CLEAR ALONG EGRESS PATH & 3'-0" BETWEEN FLOOR FIXTURES AT ALL TIMES.
2. COORDINATE EGRESS PATH & SIGNAGE LOCATIONS WITH EC. ANY DISCREPANCIES TO BE REPORTED TO ARCHITECT PRIOR TO ROUGH-IN.
3. ALL CEILING-MOUNTED EQUIPMENT TO BE COORDINATED w/ LIGHTING & SPRINKLER PLANS.
4. SEE RCP FOR ADDITIONAL CEILING-MOUNTED EQUIPMENT INFORMATION.
5. ALL CEILING-MOUNTED EQUIPMENT TO BE WHITE (U.O.N.).
6. THE EGRESS PATH SHALL REMAIN FREE AND CLEAR OF ALL OBSTRUCTIONS AT ALL TIMES. NO STORAGE IS PERMITTED IN ANY EGRESS PATHS.

MEANS OF EGRESS ILLUMINATION
EMERGENCY POWER SOURCE AND INITIAL ILLUMINATION LEVELS SHALL CONFORM WITH CBC 1008

EXIT SIGN PLACEMENT
EXIT SIGN PLACEMENT SHALL BE SUCH THAT NO POINT IN AN EXIT ACCESS CORRIDOR OR EXIT PASSAGEWAY IS MORE THAN 100 FEET OR THE LISTED VIEWING DISTANCE FOR THE SIGN, WHICHEVER IS LESS, FROM THE NEAREST VISIBLE EXIT SIGN. EXIT SIGNS ARE NOT REQUIRED IN ROOMS OR AREAS THAT REQUIRE ONLY ONE EXIT OR EXIT ACCESS (IBC 1013.1).

FIRE & LIFE SAFETY LEGEND

SYMBOL	TYPE	DESCRIPTION	DESCRIPTION
	EXIT	CEILING MOUNTED EXIT SIGN WALL MOUNTED EXIT SIGN	SEE LIGHT FIXTURE SCHEDULE
	FE	WALL MOUNTED FIRE EXTINGUISHER	SEE FIRE EXTINGUISHER NOTES
	FEC	WALL RECESSED FIRE EXTINGUISHER AND CABINET	SEE FIRE EXTINGUISHER NOTES
SD	SD	SMOKE DETECTOR	SEE POWER / DATA & ENGINEER'S DRAWINGS
	HS	HORN STROBE - CEILING MTD.	SEE POWER / DATA & ENGINEER'S DRAWINGS
	HS	HORN STROBE - WALL MTD.	SEE POWER / DATA & ENGINEER'S DRAWINGS
	SP	SPRINKLER HEAD	SEE ENGINEER'S DRAWINGS
PS	PS	FIRE PULL STATION	SEE ENGINEER'S DRAWINGS
	PATH	EGRESS PATH OF TRAVEL	

FIRE EXTINGUISHER NOTES

SEMI-RECESSED-MOUNTED (FEC) AT BACK OF HOUSE / NON-PUBLIC AREAS. ALL FIRE EXTINGUISHERS TO BE ADA-COMPLIANT TYPE "ABC" ALL PURPOSE CHEMICAL EXTINGUISHERS. GC TO FURNISH & INSTALL ALL FIRE EXTINGUISHERS. SEE SHEET G-002 FOR MOUNTING HEIGHT(S).

SPECIFICATIONS:
FIRE EXTINGUISHER
ANSUL, 'SENTRY 10'

MODEL #: A10H
PART #: 429003
BRACKET #: 30865
AGENT CAPACITY: 10 LB. FORAY
U.L. RATING: 10-A:60-B:C

FIRE EXTINGUISHER CABINET
POTTER ROEMER, 7100 SERIES, U.L. CLASSIFIED 7N43

MODEL #: 7122-A-18-VAB
MOUNTING: SEMI-RECESSED
DOOR STYLE: FULL ACRYLIC DOOR w/ MAGNETIC LATCH
DOOR COLOR: MATCH ADJACENT WALL FINISH / COVERING
OPTIONAL LETTERING: VERTICAL ASCENDING, BLACK

BUILDING CODE ANALYSIS

OCCUPANT LOAD

SEE SQUARE FOOTAGE & OCCUPANT LOAD BREAKDOWN ON TABLE SHEET G-001

EGRESS REQUIREMENTS

SPRINKLER SYSTEM: YES
EMERGENCY VOICE/ALARM COMMUNICATION SYSTEM: YES

MINIMUM NUMBER OF EXITS PER FLOOR
(PER ***CBC 1006.2.1*** EGRESS BASED ON OCCUPANT LOAD AND COMMON PATH OF EGRESS TRAVEL DISTANCE)**:**

TOTAL OCCUPANTS: XXX OCCUPANTS > 49 OCCUPANTS, **(2)** EXITS MINIMUM REQUIRED

MAXIMUM TRAVEL DISTANCE
(PER ***CBC TABLE 1017.2***, EXIT ACCESS TRAVEL DISTANCE): 250'-0"

MINIMUM AISLE WIDTH
(PER ***CBC 1018.3*** AISLES IN GROUP B AND M & ***CBC TABLE 1020.2*** MINIMUM CORRIDOR WIDTH): 44"

MINIMUM AISLE ACCESSWAY WIDTH
(PER ***CBC 1018.4*** AISLE ACCESSWAYS IN GROUP M): 30" REQ'D ON NOT LESS THAN 1 SIDE OF EACH ELEMENT WITHIN THE MERCANDISE PAD WITH A MAXIMUM COMMON PATH OF TRAVEL NOT EXCEEDING 30'-0"

MINIMUM EXIT SEPARATION
(PER ***CBC 1007.1.1*** TWO EXITS OR EXIT ACCESS DOORWAYS):

MAX. OVERALL DIAGONAL DIMENSION : 103'-8 1/8" GROUND FLOOR

REQUIRED MIN. SEPARATION: GROUND FLOOR:
REQUIRED: 103'-8 1/8" / 3 = 34'-6"
PROVIDED: 33'-5" (COMPLIES)

MEANS OF EGRESS SIZING
(PER ***CBC 1005.3.2*** THE CAPACITY, IN INCHES, OF MEANS OF EGRESS COMPONENTS OTHER THAN STAIRWAYS SHALL BE CALCULATED BY MULTIPLYING THE OCCUPANT LOAD SERVED BY SUCH COMPONENT BY A MEANS OF EGRESS CAPACITY FACTOR OF 0.2 INCH (5.1 MM) PER OCCUPANT.TWO EXITS OR EXIT ACCESS DOORWAYS)

TOTAL OCCUPANTS: XXX OCCUPANTS / 2 = REQUIRED: XXX
PROVDED: 720

EXIT 2
46 2
230
EXIT NUMBER
FACTOR
OCCUPANCY LOAD
EXIT WIDTH

EGRESS PATH CALCULATIONS:

EGRESS PATH	TOTAL LENGTH TO NEAREST EXIT	
	EXIT 1	EXIT 2
PATH A	128'-9"	134'-3"
PATH B	118'-0"	146'-10"
PATH C	85'-3"	52'-8"

FLOOR KEY NOTES

TAG	DESCRIPTION
1	EGRESS DOORS LOCKABLE FROM THE EGRESS SIDE. THE LOCKING DEVICE IS TO BE READILY DISTINGUISHABLE AS LOCKED. DOORS TO REMAIN UNLOCKED WHEN SPACE IS OCCUPIED.
2	NEW FIRE EXTINGUISHER IN BOH
3	NEW FIRE EXTINGUISHER IN SALES
4	NEW FIRE EXTINGUISHER IN CAFE

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
EGRESS PLAN

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT ROBERT HUGHES 26476 STATE OF CALIFORNIA RENEWAL DATE 08/31/25

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-002.00
CAD FILE NO.	A-002.00_EGRESS & LFE SAFETY PLAN.DWG
PAGE	11 of 75

K:\2415\1524879-00\08_DRAWINGS\2_CAD\3_SHEETS\A-002.00_EGRESS & LIFE SAFETY PLAN.DWG | Plot Date: Jan. 10, 2025 - 10:15 AM
Last Saved By: HSLAM | Save Date: 10/2/25 1:31:23 PM



1 **LAYOUT PLAN** **SCALE: 1/4"=1'-0"**

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEYS FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
LAYOUT PLAN

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-100.00
CAD FILE NO.	A-100.00_LAYOUT PLAN.DWG
PAGE	11 of 75

K:\2415\1524879.0008_DRAWINGS\0_CAD\3_SHEETS\A-100.00_LAYOUT PLAN.DWG | Plot Date: Jan. 8, 2025 - 10:37 PM
Last Saved By: HISAM | Save Date: 1/7/2025 10:37:20 AM



1 CONSTRUCTION PLAN

SCALE: 1/4"=1'-0"

NOTE: GC TO VERIFY ALL DIMENSIONS ON FIELD, NOTIFY ARCHITECT OF ANY UNCOVERD DISCREPANCIES

CONSTRUCTION LEGEND

SYMBOL	DESCRIPTION
XXX / ###	ROOM NAME / ROOM NUMBER
	EXISTING CONSTRUCTION TO REMAIN
	NOT IN CONTRACT (N.I.C)
	NEW PARTITION
	CENTER LINE
#	DOOR TAG
X.### / #	ELEVATION TAG
#X	PARTITION TYPE
#	KEY NOTE
XXX (S.T.S)	DIMENSION LINE
# / X.###	SECTION CALL-OUT

GENERAL NOTES

1. ALL CONSTRUCTION TO COMPLY WITH APPLICABLE CITY & STATE CODES & STANDARDS.
2. PROVIDE PROTECTION OF ALL EXG. ITEMS TO REMAIN THROUGHOUT DURATION OF CONSTRUCTION. PATCH & / OR REPAIR ANY DEMISING WALL, CORRIDOR OR OTHER PROPERTY DAMAGED DURING DEMOLITION OR CONSTRUCTION AS REQUIRED TO BRING TO LIKE-NEW CONDITION; MATCH ALL STANDARD FINISHES.
3. PATCH & / OR REPAIR ALL DEMISING WALLS, FIRE-CAULK & TAPE PENETRATIONS TO MAINTAIN EXISTING FIRE RATING.
4. COORDINATE ALL WORK w/ ENGINEER'S DRAWINGS.
5. PREPARE COORDINATION DRAWING(S) OF ALL TRADES PRIOR TO ORDERING MATERIALS, INCLUDING LONG-LEAD ITEMS.
6. DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN ALL PARTITION LOCATIONS. NOTIFY ARCHITECT OF ANY DISCREPANCIES.
7. ALL DIMENSIONS TO FACE OF FINISHED WALL (U.O.N.). MAINTAIN ALL DIMENSIONS MARKED "CLEAR" OR "HOLD" & ALLOW FOR THICKNESS OF FINISH(ES).
8. CHALK ALL PARTITION LINES ON SITE FOR APPROVAL PRIOR TO COMMENCEMENT OF CONSTRUCTION. FULLY COORDINATE WITH MILLWORK SHOP DRAWINGS.
9. PROVIDE DIAGONAL BRACING TO STRUCTURE ABOVE AT ALL DOORS, HEADERS & JAMBS AS REQUIRED TO PROVIDE RIGID ASSEMBLY.
10. V.I.F. CONDITION OF ALL DEMISING PARTITIONS & PROVIDE FULL-HT. FINISHED GYP. BD. TO UNDERSIDE OF DECK AS REQUIRED TO ACHIEVE & / OR MAINTAIN REQUIRED & / OR EXISTING FIRE RATING; PATCH / REPAIR TO PREPARE FOR FINISHES. PATCH & FIRE-STOP ALL PARTITIONS AS REQ'D.
11. ALL SLAB PENETRATIONS MUST BE APPROVED IN WRITING BY TENANT COORDINATOR PRIOR TO COMMENCEMENT OF WORK. ENSURE ALL SLAB PENETRATIONS WITHIN TENANT'S PREMISES ARE PROPERLY SEALED, WATERTIGHT & FULLY FIRE STOPPED.
12. ALL PENETRATIONS AT FIRE-RESISTANT FLOORS OR SHAFT WALLS TO BE PROTECTED BY MATERIALS & INSTALLATION DETAILS IN CONFORMANCE WITH UL STANDARDS FOR THROUGH-PENETRATIONS FIRE-STOP SYSTEMS. SUBMIT SHOP DRAWINGS TO SHOW COMPLETE CONFORMANCE TO ARCHITECT & MAKE AVAILABLE TO ANY INSPECTORS AS REQ'D. DRAWINGS TO BE SPECIFIC PER PENETRATION WITH ALL VARIABLES DEFINED.
13. COORDINATE WITH TENANT MILLWORKER & ALL FINISH TRADES TO ENSURE PROPER PROVISIONS ARE MADE FOR INSTALLATION OF FIXTURES. ENSURE CONCEALED BLOCKING / GROUNDS ARE INSTALLED AS REQUIRED BY MILLWORKER PRIOR TO CLOSING-UP WORK BY OTHER TRADES; PROVIDE DRAWING INDICATING SIZE & LOCATIONS OF ALL BLOCKING.
14. ALL CONCEALED WOOD, BLOCKING, FRAMING & PLYWOOD TO BE FIRE-RETARDANT AS REQUIRED BY STATE CODES.
15. PROVIDE APPROVED FIRE EXTINGUISHERS AS INDICATED ON EGRESS & LIFE SAFETY DRAWINGS & INSTALL AS REQUIRED BY LOCAL A.H.J.
16. COORDINATE ALL LAYOUT ISSUES WITH MILLWORKER TO ESTABLISH MILLWORK LAYOUTS & BOX LOCATIONS. OBTAIN MILLWORK SHOP DRAWINGS PRIOR TO COMMENCEMENT OF FRAMING.
17. PROVIDE FIELD-INFORMATION & DIMENSIONS TO MILLWORKER & ANY OF OWNER'S OTHER CONTRACTORS UPON REQUEST.
18. MAINTAIN ACCESS TO & PROTECT ALL EXISTING ELECTRICAL, FIRE ALARM, SPRINKLER, ETC. & LANDLORD EQUIPMENT THROUGHOUT CONSTRUCTION; COORDINATE WITH LANDLORD AS REQUIRED.
19. FOR ALL AREAS WITH WATERPROOFING:
    - INSTALL DAL-SEAL TS SINGLE SHEET WATERPROOFING MEMBRANE BELOW FINISH FLOOR & ABOVE CONCRETE SLAB. EXTEND MEMBRANE 6" UP ALL ADJACENT WALLS. PROVIDE MEMBRANE AT ALL 'WET' AREAS & FLOOR PENETRATIONS. ALL DRAINS MUST BE ACCESSIBLE & HAVE CLEANOUTS.
    - USE NOBLEFLEX DRAIN FLASHING WHEN DRAIN RING IS BELOW FINISH FLOOR.
    - PREP FLOOR TO RECEIVE FLOOR DRAIN WITH PITCH. REFER TO DETAILS FOR MORE INFO.
21. METAL STUDS TO BE 3-5/8" WHEREVER POSSIBLE.; EXTEND TO U.O. DECK.
22. GC TO COORDINATE ALL IN-SLAB PLUMBING CONNECTIONS w/ MEP DRAWINGS.
23. GC TO SCAN SLAB PRIOR TO ANY SLAB MODIFICATIONS IMMEDIATELY FOLLOWING CHALK LAYOUT. NOTIFY ARCHITECT IMMEDIATELY IF OBSTRUCTIONS ARE LOCATED.
24. GC TO REVIEW MALL CONSTRUCTION GUIDE FOR ALL MANDATORY VENDORS & REGULATIONS.
25. GC TO CONFIRM THERE ARE NO WATER DAMAGE WITHIN PREMISES.
26. ALL GLASS TO BE CERTIFIED AND LABELED FOR INSPECTION. SHOP DRAWINGS TO INDICATE LOCATION OF LABELS FOR APPROVAL.
27. ALL DOOR LOCKS TO HAVE CONSTRUCTION CORES. REFER TO A-600 FOR FINAL CORE-SPEC.
28. MILLWORKER TO CONFIRM ANY MALL FIRE RATING REQUIREMENTS FOR MILLWORK FIXTURES.
29. ALL WALL MOUNTED DEVICE LOCATIONS TO BE APPROVED BY ARCHITECT PRIOR TO INSTALLATION.

FLOOR PLAN KEY NOTES

TAG	DESCRIPTION
1	LEASELINE (V.I.F.). VERIFY WITH LANDLORD AT START OF CONSTRUCTION.
2	NEW STOREFRONT WINDOW AND ENTRY. GC TO PREP EXISTING STRUCTURE FOR NEW DOUBLE DOOR BY VENDOR. INSTALL BY GC. SEE A-700 FOR MORE INFORMATION.
3	FRP WALL PANELS AROUND MOP SINK; SEE INTERIOR ELEVATIONS
4	WET AREA(S) TO BE EQUIPPED WITH WATERPROOF MEMBRANE TURNED UP MINIMUM 6"; SEE 'GENERAL NOTES'
5	G.C. TO PROVIDE ½" FRT PLYWOOD OVER GYP. BD. FOR DEVICE MOUNTING; UTILIZE FULL SHEETS WHERE FEASIBLE; COORD. w/ POWER & DATA CUT-OUTS; PAINT 'P-1' EXCEPT AT FRT STAMP
6	PROVIDE WATER LINES FOR APPLIANCES AND EQUIPMENT, AS REQ'D; SEE ENGINEER DRAWINGS
7	ELECTRICAL EQUIPMENT; SEE POWER PLAN & ENGINEER'S DWGS FOR FINAL LOCATIONS & REQUIREMENTS
8	INTERNALLY-ILLUMINATED STOREFRONT SIGNAGE ABOVE BY STOREFRONT VENDOR; G.C. TO PROVIDE & COORD. POWER REQS. SEE DETAILS & STOREFRONT ELEVS
9	GC WALL TO EXTEND ABOVE MILLWORK DOOR; COORDINATE ROUGH OPENING SIZE; HEADER REQS. & BLOCKING REQUIREMENTS WITH MILLWORKER. COORDINATE CONNECTION BETWEEN MILLWORK AND GYP. BD. FINISH
10	GC TO CONFIRM IF EXISTING DEMISING WALL IS FULL HEIGHT WITH GYP. BOARD TO UNDERSIDE OF DECK & FULL RATED. G.C. TO FIRESTOP ANY NEW OR EXISTING PENETRATIONS AS REQUIRED. G.C. TO PROVIDE UNIT PRICING FOR NEW GYP. BOARD AS REQUIRED BY CURRENT CONDITIONS; INCLUDE GYP. BOARD FULL HEIGHT AT TENANT SEPARATION WALL.
11	GC TO PREP SLAB FOR NEW FLOOR FINISH. REMOVE ANY RESIDUE, ADHESIVES OR CONSTRUCTION DEBRIS, ETC. AS REQUIRED. FLOOR TO BE INFILLED FOR RL FINISH TO BE FLUSH WITH EXTERIOR DATUM IN REQUIRED. FLOOR INFILL TO BE INSTALLED LEVEL THROUGHOUT - ½" MAX. TOLERANCE ACROSS ENTIRE SALES AND CAFE FLOOR.
12	EXISTING LANDLORD PAVERS TO BE PROTECTED THROUGHOUT DEMOLITION AND CONSTRUCTION; PATCH AND FINISH PER LANDLORD STANDARDS AS REQUIRED.
13	GC TO GRIND CONCRETE SLAB OR PROVIDE INFILL AS REQUIRED TO ENSURE SMOOTH AND LEVEL TRANSITION BETWEEN THE MALL FINISH AND INTERIOR OF THE STORE.
14	GC TO TRENCH OR CORE DRILL AS REQUIRED FOR PLUMBING. GC TO SCAN SLAB PRIOR TO TRENCHING OR CORE DRILL TO LOCATE ALL REBAR; NOTIFY ARCHITECT IF LOCATION SHOWN IS UNACHEIVABLE.
15	FINISH TRANSITION TO MILLWORK AFTER MILLWORK INSTALL. COORDINATE WITH MILLWORKER
16	GC TO ENSURE FLOOR IS LEVELED TO RECEIVE MOBILE SHELVING. PATCH/LEVEL AS REQUIRED. 1/8" MAX TOLERANCE ACROSS ROLLING SHELF RUN; PATCH TO THE THIS TOLERANCE IN AREA OF ROLLING SHELVES ONLY. CONFIRM WITH VENDOR.
17	GC TO TRENCH OR CORE DRILL AS REQUIRED ANY FLOOR BOXES OR WHIPS AS REQ. FOR MILLWORK AND/OR FURNITURE CONNECTIONS. ALL FLOOR BOX AND WHIP LOCATIONS TO BE CONFIRMED WITH MILLWORKER PRIOR TO ANY SLAB CUTTING. GC TO SCAN SLAB PRIOR TO CORE DRILLING TO LOCATE ALL REBAR; NOTIFY ARCHITECT IF LOCATION SHOWN IS UNACHIEVABLE. SEE DEMO PLAN NOTES.
18	BLOCKING FOR MIRRORS. SEE FITTING ROOM INTERIOR ELEVATION
19	EXISTING DOOR AND HARDWARE TO REMAIN
20	GC TO PROVIDE & INSTALL FRT BLOCKING/ PLYWOOD & MTL. STUDS., IF REQ'D. AT PLANNED MILLWORK LOCATIONS. COORDINATE W/ M.W.C.
21	EXISTING STRUCTURE: COLUMNS / STRUCTURAL BEAMS / PARTITIONS, WHERE NOTED. TO REMAIN. GC TO PROTECT & NOT DISTURB ANY EXISTING FIREPROOFING THROUGHOUT SPACE. PATCH/ REPAIR AREAS TO MAINTAIN REQUIRED FIRE-RESISTANT RATING THROUGHOUT.
22	KNEE WALL FOR CAFE SERVICE COUNTER. GC TO COORDINATE DIMENSIONS WITH VENDOR SHOP DRAWINGS AND INSTALL
23	SEE MILLWORK DETAIL SHEET FOR PLACEMENT OF PLYWOOD BACKING AT IN-SET FIXTURE LOCATION. SEE HOLD DIMENSION FOR OVERALL LENGTH OF PLYWOOD

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
CONSTRUCTION PLAN

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT ROBERT HUGHES C-26476 RENEWAL DATE 08-31-25 STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-101.00
CAD FILE NO.	A-101.00_CONST.DWG
PAGE	11 of 75

K:\841\524879.0068_DRAWINGS\2_CAD\2_SHEETS\A-101.00_CONST.DWG / Plot Date: Jan. 10, 2025 - 10:21 AM
Last Saved By: HISUAM / Save Date: 1/9/2025 5:10:06 PM



LANDLORD REQUIREMENTS:

NOTHING IS PERMITTED TO BE ATTACHED TO, SUSPENDED FROM, OR PENETRATE LANDLORD'S STRUCTURE, FLOOR DECK, OR ROOF DECK. YOU MAY ATTACH, NON-DESTRUCTIVELY, TO OR SUSPEND FROM THE TOP CHORD OF THE JOIST OR THE STRUCTURAL STEEL WHICH EXISTS ABOVE THE TENANT SPACE. WHEN ATTACHING TO LANDLORD'S STRUCTURE, DO NOT DRILL, WELD, SCREW, OR SHOOT INTO STRUCTURE. ALTERNATIVE METHODS OF ATTACHMENT ONLY. NOTHING TO DAMAGE LANDLORD'S BASE BUILDING STRUCTURE. TENANT SHALL PROVIDE SIGNED AND SEALED STRUCTURAL DRAWINGS, BY A STRUCTURAL ENGINEER WITH LEGALLY ACTIVE REGISTRATION AS INDICATED BY ALL JURISDICTIONAL REQUIREMENTS, FOR ALL STRUCTURAL MODIFICATIONS FOR LANDLORD RECORDS.

ANY LANDLORD EQUIPMENT, COMPONENT, AND / OR SERVICE FEEDING OTHER TENANT(S) THAT IS EXISTING IN THE SPACE MUST REMAIN VISIBLE AND ACCESSIBLE TO THE LANDLORD. TENANT SHALL INSTALL ACCESS PANELS AS REQUIRED TO MAINTAIN ACCESS. ACCESS PANELS SHALL BE LABEL TO PROPERLY IDENTIFY SYSTEM, COORDINATE WITH MALL OPERATIONS.

1 REFLECTED CEILING PLAN

SCALE: 1/4"=1'-0"

REFLECTED CEILING PLAN LEGEND

TAG	DESCRIPTION
LCP / EX	EXISTING PENDANT SPRINKLER TO REMAIN EXISTING CONCEALED SPRINKLER TO REMAIN
S	SPEAKER
OS	OCCUPANCY SENSOR
R	CONCEALED, FLUSH MOUNTED SPRINKER HEAD, FINISH TO MATCH ADJACENT CLG. COLOR
XXXX X'-X" AFF	CEILING TAG
	SUPPLY AIR GRILLE, SEE MECHANICAL DRAWINGS
	RETURN AIR GRILLE, SEE MECHANICAL DRAWINGS
MS	MOTION SENSOR BY SECURITY VENDOR
	EXIT SIGN
WAP	WIRELESS ACCESS POINT

GENERAL NOTES

1. SEE ENGINEER'S DRAWINGS FOR CIRCUITING, SWITCHING, SPECIFICATIONS, FIXTURE SCHEDULE, QUANTITIES, ADDITIONAL FIXTURES, ETC. NOT SHOWN ON THIS SHEET.
2. INCLUDE IN PRICE ANY CEILING TAKE-DOWN & / OR REINSTALLATION REQUIRING ACCESS IN AREAS NOT INDICATED ON DWGS AS REQ'D.
3. ALL CEILING HEIGHTS TO U.O. FINISHED CEILING FROM T.O. FINISHED FLOOR, U.N.O.
4. ALL CEILING-MOUNTED DEVICES TO BE INSTALLED AT CENTERLINE OF LIGHT FIXTURES. ALL LIGHT FIXTURE & DEVICE LOCATIONS TO BE CHALKED ON CEILING / WALLS FOR OWNER'S APPROVAL PRIOR TO INSTALLATION.
5. COORDINATE ALL CEILING HEIGHTS w/ ENGINEER'S DRAWINGS / EQUIPMENT LOCATIONS; NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES.
6. COORDINATE EMERGENCY LIGHT FIXTURE QUANTITY / LOCATIONS WITH ENGINEER'S DRAWINGS.
7. SUBMIT COORDINATED SHOP DRAWINGS FOR ALL ABOVE-CLG TRADES.
8. CONFIRM & COORDINATE CEILING HEIGHTS WITH ANY NEW OR EXISTING FIELD CONDITIONS; IMMEDIATELY NOTIFY ARCHITECT & OWNER IF CEILING HEIGHTS ARE NOT POSSIBLE.
9. HVAC UNIT(S) TO BE PROTECTED PRIOR TO START OF CONSTRUCTION (CONSTRUCTION FILTER). UNIT(S) MUST BE CLEANED AT COMPLETION OF CONSTRUCTION.
10. A / V SYSTEM BY OWNER; VENDOR TO SUPPLY, INSTALL & TERMINATE. CABLING PROVIDED BY OWNER; GC TO PULL. DEVICE CUT-OUTS & PREP BY GC. GC TO FULLY-COORDINATE w/ ALL TRADES.
11. ADEQUATE CLEARANCE TO BE PROVIDED AT ALL MEP ELEMENTS / DEVICES AS REQ'D PER ALL APPLICABLE CODE & STANDARDS.
12. ALL EXPOSED STRUCTURE TO BE PAINED & EXISTING FIRE-RATING MAINTAINED.
13. ALL LIGHTING AROUND CAFE FOOD PREP AND SERVICE AREA TO HAVE SHATTERPROOF BULBS*
14. ADDITIONAL HANGERS OR SAFETY WIRES FOR CEILING FIXTURES / DEVICES TO BE PROVIDED AS REQUIRED BY CODE(S).
15. ALL CEILINGS & ASSOCIATED FRAMING, FURRING & BLOCKING TO BE CONSTRUCTED FROM NON-COMBUSTIBLE, UL-APPROVED MATERIALS.
16. MILLWORKER TO ESTABLISH FINAL QUANTITIES OF LED DRIVERS PER FIXTURE w/ LIGHT FIXTURE MANUFACTURER.
17. MILLWORKER TO LOCATE DRIVERS & BALLASTS AS SHOWN IN DETAILS.
18. ALL LIGHT FIXTURE TRIMS, HVAC GRILLES / DIFFUSERS / RETURNS, & SPRINKLER HEAD CAPS TO MATCH ADJACENT CEILING COLOR U.N.O.
19. GC TO INCLUDE ALL TESTING, PROGRAMMING, FINAL CONNECTION AS REQ'D. TO TIE ALL DEVICES INTO BUILDING FIRE SPRINKLER / ALARM SYSTEM. ALL REQ'D. CERTIFICATES OF INSPECTION TO BE PROVIDED AT CONSTRUCTION COMPLETION.
20. GC IS RESPONSIBLE FOR ALL LIGHT FIXTURE LAMPING UNTIL COMPLETION OF PUNCH LIST. LIGHT FIXTURES TO BE THOROUGHLY-CLEANED PRIOR TO PROJECT COMPLETION.
21. SPRINKLER HEADS AT A.C.T. CEILINGS MUST BE FULLY-RECESSED. CENTER HEADS IN CEILLING TILES WHEREVER POSSIBLE U.N.O.
22. SPRINKLER HEADS AT GYP. BD. CEILINGS MUST BE FULLY-RECESSED. CENTER HEADS w/ ADJACENT LIGHT FIXTURES / DEVICES WHEREVER POSSIBLE U.N.O.
23. REFER TO MECHANICAL PLAN FOR NEW ROOF OPENING FOR NEW RTU. GC TO COORDINATE w/ MEP & STRUCTURAL DRAWINGS FOR DETAILS.
24. GC TO FULLY-COORDINATE FRAMING & BLOCKING TO RECEIVE ALL LIGHT FIXTURES & CEILLING-MOUNTED DEVICES.
25. "EM" LIGHT FIXTURE DESIGNATION INDICATES EMERGENCY FIXTURE.

LIGHTING SCHEDULE

SYMBOL	TAG	DESCRIPTION	WATTS	NOTES
RL-G.1	RL-G.1	GIMBAL MINI SINGLE TR DOWNLIGHT W/ HOUSING. 4" SQUARE APERTURE OPENING W/ 6"X6" HOUSING. PROVIDE STANDARD LUMINARIES WITH SORAA LED REPLACEMENT LAMP. MATTE BALCK HOUSING INTERIOR FINISH. FIXTURE TO BE MATTE WHITE.	7.5	PROVIDED BY RL. GC TO INSTALL. CONTRACTOR TO CONFIRM AND PROVIDE ALL MOUNTING HARDWARE AS REQUIRED.
RL-TH	RL-TH	TRACK HEAD AT RL-TR. LF ILLUMINATION. TRA19B-G-01GU10X-NA1-WW.	7.5	PROVIDED BY RL. GC TO INSTALL. WHITE.
RL-TR-LENGTH	RL-TR	TRACK FOR RL-TH . TO BE CUT ON SITE TO CORRECT SIZE. LF ILLUMINATION GES212-3		PROVIDED BY RL. GC TO INSTALL. SURFACE MOUNTED ON DRYWALL CEILING. WHITE.
RL-G.3.WH	RL-G.3	GIMBAL MINI TRIPLE TR DOWNLIGHT W/ HOUSING. RECESSED WITH TRIM IN DRYWALL CEILING. 13.94" L X 5.12" W. PROVIDE STANDARD LUMINARIES WITH SORAA LED REPLACEMENT LAMP. WHITE TRIM/ WHITE GIMBAL/ BLACK INTERIOR.	7.5	PROVIDED BY RL. GC TO INSTALL. CONTRACTOR TO CONFIRM AND PROVIDE ALL MOUNTING HARDWARE AS REQD.
RL-THSW	RL-THSW	LUMENTURE TRACK HEAD. T40-30H-600-22-B-J-SNC. BLACK.	7	PROVIDED BY RL. GC TO INSTALL AT STOREFRONT WINDOW MULLIONS
L2	L2	LITHONIA LIGHTING - CHAIN MOUNTED - 4' LINEAR. CLX L48 300LM SEF RDL MVOLT GZ10 30K80CRI WH - WHITE LED	20.3	PROVIDED AND INSTALLED BY GC. EM - WITH EMERGENCY BATTERY PACK PER CODE WHERE INDICATED
L1	L1	LEDALITE BY SIGNIFY. RECESSED VERSAFORM 2X2. 41-22-D1-ST-L-8B-E-S - WHITE LED	27	

SYMBOL	TAG	DESCRIPTION	WATTS	NOTES
RL-L3	RL-L3	VISUAL COMFORT GENEVA MEDIUM SCONCE 2026BZ-WG - BRONZE / WHITE GLASS	3 - 40 B11	BY RL DECO TEAM
RL-L4	RL-L4	VISUAL COMFORT. CHAPMAN & MEYERS. LINEAR LARGE WALL LANTERN - SIGNATURE COLLECTION.		EXTERIOR. INSTALLED AT EXISTING LOCATION. PROVIDED BY RL DECO TEAM, INSTALLED BY GC.
RL-L5	RL-L5	VISUAL COMFORT GENEVA MEDIUM SCONCE 2025NB-WG - BRONZE / WHITE GLASS	2 - 40 B11	BY RL DECO TEAM
RL-C1	RL-C1	VISUAL COMFORT McCARREN LARGE GLOBE PENDANT 5461NB-WG - NATURAL BRASS / WHITE GLASS	75	BY RL DECO TEAM
RL-D1	RL-D1	LUCENT SQUARE EDGE 4.25" FIXED. A31433-F-LED-BK-DP-PB-SC/C-LED51/2-30-38. LH-6.75-NIC. 120-A-E-LL45. PROVIDE STANDARD LUMINARIES WITH SORAA LED REPLACEMENT LAMP.	7.5	REPLACE AT EXISTING FIXTURE LOCATION
RL-J (LENGTH)	RL-J-(X)	NICHE LINEAR LED FIXTURE	17	FURN./INSTALL. BY GC
	RL-TRSW	LUMENTURE JT-4/8-B. TRACK FOR RL-THSW. BLACK LENGTH AS SPECIFIED ON PLANS. V/F. BLACK. LUMENTURE SURFACE MOUNTED LOW VOLATGE TRACK.		PROVIDED BY RL. GC TO INSTALL AT STOREFRONT WINDOW MULLIONS

FLOOR PLAN KEY NOTES

TAG	DESCRIPTION
1	G.C. TO ENSURE ALL EXISTING STRUCTURE TO REMAIN IS UNDISTURBED THROUGHOUT CONSTRUCTION. MAINTAIN ANY EXISTING FIRE RATING REQUIREMENTS. G.C. TO VERIFY CONDITIONS IN FIELD AND REPORT ANY DISCREPANCIES IN WRITING TO THE ARCHITECT IMMEDIATELY. (TYP. THROUGHOUT)
2	EXISTING GYP CEILING TO REMAIN WHERE FEASIBLE. GC TO COORDINATE ANY ABOVE CEILING ACCESS FOR SCOPE AS SCHEDULED. PATCH/REPAIR AND REPLACE AS REQUIRED.
3	NEW ACT CEILING AT BOH AS REQUIRED REFER TO SHEET DETAILS FOR ADDITIONAL INFO
4	AREA FOR DIFFUSER FOR AIR SUPPLY, RETURN, OR EXHAUST
5	CEILING HUNG PENDANTS AS SCHEDULED. GC TO PROVIDE BLOCKING FOR ATTACHMENT AS REQUIRED. CENTER ON MILLWORK COUNTER BELOW.
6	NEW FAUX BEAM / JOISTS AT CEILING.
7	BLADE SIGN, COORDINATE FINAL LOCATION WITH RALPH LAUREN & LANDLORD.
8	ALL LIGHTING AROUND CAFE FOOD PREP AND SERVICE AREA TO HAVE SHATTERPROOF BULBS

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
REFLECTED CEILING PLAN

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-201.00
CAD FILE NO.	A-201.00_RCP.DWG
PAGE	27 of 55

K:\241524879.0008_DRAWINGS\3_CAD\2_SHEETS\A-201.00_RCP.DWG | Plot Date: Mar. 20, 2025 - 6:24 AM
Last Saved By: MHAMANI | Save Date: 3/1/2025 7:15:38 AM

FINISH SCHEDULE

TAG	MATERIAL	MANUFACTURER/ SUPPLIER	PRODUCT # / COLOR	SIZE	TYPE / FINISH	RESPONSIBILITY		REMARKS
						PROVIDE	INSTALL	
CEILING FINISH								
ACT1	ACOUSTIC CEILING TILE	ARMSTRONG	SUPRAFINE XL 9/16", EXPOSED TEE W/ ULTIMA LAY-IN TEGULAR TILE #1912	24" x 24", ½" REVEAL	ULTIMA TEGULAR w/ AIRGUARD COATING	GC	GC	STANDARD B.O.H. CEILING (U.N.O.).
P3	PAINT	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR	1 OR 2 MM	WHITE, FLAT	GC	GC	ALL GYPSUM CEILINGS
M3	METAL	LOCALLY SOURCED	POWDER-COATED GREEN TO MATCH M3	-	GREEN, FINISH TBD	GC	GC	STOREFRONT ENTRY VESTIBULE
WALL FINISH								
BR1	BRICK VENEER	TBD	TBD, WHITE	3" THK.	-	GC	GC	FOH AND CAFE. SEE ELEVATIONS FOR LAYOUT.
G1	STOREFRONT GLASS (EXTERIOR)	-	-	AS SHOWN	TEMPERED	GC	GC	1" INSULATED. TO BE FULLY ENGINEERED PER LOCAL CODE. SEE STRUCTURAL DETAILS AND CALCULATIONS. SEE STOREFRONT DRAWINGS FOR MORE INFORMATION.
G2	MIRROR GLASS	-	MIRROR	SITE-SPECIFIC	TEMPERED. LOW IRON.	MW	MW	FITTING ROOMS & CAFE MENU BOARD. EDGES & CORNERS w/ PRECISION MICRO-BEVEL (NOT SHARP).
P2	PAINT	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR WHITE	-	MATTE (CLEANABLE)	GC	GC	FOH, BOH, CAFE, HALLS/VESTIBULES, TOILET ROOMS. WHERE OTHER WALL FINISH NOT SPECIFIED.
P4	ELASOMERIC COATING PAINT	SHERWIN WILLIAMS	MATCH BM ESSEX GREEN W/ 10% BLACK	-	CONFLEX SHERLASTIC. FLAT	GC	GC	STOREFRONT FACADE. SEE STOREFRONT DRAWINGS. GC TO PROVIDE SAMPLES TO RL AND ARCHITECT FOR FINISH AND COLOR APPROVAL.
T2	SUBWAY TILE	NEMO TILE	METRO30625, WHITE	3" X 6"	GLOSSY	GC	GC	ADA RESTROOMS TO BE INSTALLED W/ TRIM S1/212J 1/2" X 12" TO MATCH AT TOP TRANSITION TO GYPSUM BOARD.
V1	V-GROOVE PANELS	-	SHOP PAINTED. COLOR TBD	5/8" THK. 8" WIDE PREFABRICATED	TBD	GC	GC	FOH AND CAFE. SEE ELEVATIONS FOR LAYOUT.
WC1	RL WALL COVERING	KRAVET	W3038-116, GRASSCLOTH	AS SHOWN	PAPER BACKED, PRETRIMMED	RL	GC	FITTING ROOMS. GC TO PROVIDE LEVEL 5 FINISH OR PER MANUFACTURER'S RECOMMENDATION.
EX1	EXISTING STUCCO	-	-	EXISTING	TERRACOTTA	-	-	EXISTING TO REMAIN. EXTERIOR FACADE. SEE STOREFRONT ELEVATIONS. GC TO PATCH AND REPAIR AS REQUIRED FOR LIGHTING FIXTURE REPLACEMENT/REMOVAL SCOPE
EX2	EXISTING STUCCO	-	-	EXISTING	GRAY	-	-	EXISTING TO REMAIN. EXTERIOR FACADE. SEE STOREFRONT ELEVATIONS. GC TO PATCH AND REPAIR AS REQUIRED FOR LIGHTING FIXTURE REPLACEMENT/REMOVAL SCOPE
EX3	EXISTING PRECAST	-	-	EXISTING	GRAY	-	-	EXISTING TO REMAIN. EXTERIOR FACADE - NEUTRAL PIER BASE. SEE STOREFRONT ELEVATIONS. GC TO PATCH AND REPAIR AS REQUIRED.

TAG	MATERIAL	MANUFACTURER/ SUPPLIER	PRODUCT # / COLOR	SIZE	TYPE / FINISH	RESPONSIBILITY		REMARKS
						PROVIDE	INSTALL	
BASE FINISH								
P2	PAINTED WOOD	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR WHITE	-	PRE-PRIMED AND PAINTED.SEMI-GLOSS	GC	GC	CROWN, WALL BASE, APPLIED MOLDING, TRIM
T3	TILE	DALTILE	S34197, ARCTIC WHITE	4.25" X 6"	WHITE GLOSSY	GC	GC	ADA RESTROOMS
T5	TILE	-	LIMESTONE	MATCH EXISTING	MATCH EXISTING	GC	GC	MATCH EXISTING AT INFILL OF NEW STOREFRONT SYSTEM OR REPLACEMENT OF BROKEN/MISSING TILES. STOREFRONT BASE.
VB1	VINYL	TARKETT	JOHNSONITE TRADITIONAL VINYL 1/8" (TYPE TV) 22 PEARL	4" H.	TOELESS	GC	GC	B.O.H.
FLOOR FINISH								
CP1	CARPET	RL DECO TEAM	TBD	SEE PLAN	-	RL	GC	SALES FLOOR. RECESSED. TO BE INSTALLED W/ 1/8" BRASS TRANSITION STRIP, STYLE - P-228
CP2	CARPET	RL DECO TEAM	TBD	SEE PLAN	-	RL	GC	FITTING ROOMS. TO BE INSTALLED W/ 1/8" BRASS TRANSITION STRIP, STYLE - P-228
CP3	COCO MAT	TBD	TBD	SEE PLAN	-	GC	GC	RETAIL ENTRY
CP4	AREA RUG	RL DECO TEAM	TBD	SEE PLAN	-	RL	GC	SALES FLOOR SECURE TO FLOOR WITH DOUBLE SIDED TAPE; COORDINATE WITH ANY POWER LOCATIONS. V.I.F. FINAL CARPET DIMENSIONS AFTER SITE LAYOUT IS COMPLETE.
CP5	CARPET	RL DECO TEAM	TBD	SEE PLAN	-	RL	GC	WINDOW DISPLAY PLATFORM INSERTS. SECURE TO FLOOR WITH DOUBLE SIDED TAPE; COORDINATE WITH ANY POWER LOCATIONS. V.I.F. FINAL CARPET DIMENSIONS TO FIT PLATFORM FRAME.
EX4	LL PAVERS	-	VARIES - EXISTING	-	-	-	-	EXISTING TO REMAIN. EXTERIOR. PROTECT THROUGHOUT CONSTRUCTION.
T1	TILE	TBD	BLACK SLATE	12" X 24"	HONED	GC	GC	EXTERIOR ENTRY VESTIBULE [100] TO BE INSTALLED IN RUNNING ⅓ OFFSET PATTERN
T4	MARBLE MOSAIC TILE	STONE SOURCE	HEXAGON, WHITE MARBLE	1" X 1"	NON SLIP	GC	GC	ADA RESTROOMS [106] & [118]
VCT1	VINYL COMPOSITE TILE	ARMSTRONG	STANDARD EXCELON IMPERIAL TEXTURE #51861 SOFT WARM GRAY	12" x 12"	NON SLIP	GC	GC	BOH
WD2	WOOD	-	WHITE OAK - TONGUE & GROOVE, HONEY STAIN	5" W, 3/4" THICK	RIFT & QUARTER SAWN	RL	GC	SALES FLOOR, B.O.H. CORRIDOR [105], FITTING ROOM CORRIDOR [112]

MATERIAL FINISH

M1	BRONZE METAL	LOCALLY SOURCED	BRONZE	-	TBD	MW	MW	MILLWORK
M2	METAL	LOCALLY SOURCED	POWDER COATED WHITE	-	TBD	MW	MW	MILLWORK
M3	METAL	LOCALLY SOURCED	POWDER COATED GREEN. TBD	-	TBD	GC	GC	CAFE AREA / SERVICE COUNTER METAL BASE SUPPLIED & INSTALLED BY GC PROVIDE SAMPLES FOR APPROVAL AS REQUIRED.
M4	METAL (GREEN)	LOCALLY SOURCED	POWDER COATED TO MATCH P4	-	TBD	GC	GC	STOREFRONT GC TO MATCH CONTROL SAMPLE. PROVIDE SAMPLES FOR APPROVAL AS REQUIRED.
M5	METAL (GREEN BLACK)	LOCALLY SOURCED	POWDER COATED GREEN TO MATCH P5	-	TBD	GC	GC	STOREFRONT SUPPLIED & INSTALLED BY GC PROVIDE SAMPLES FOR APPROVAL AS REQUIRED.
P1	PAINT	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR WHITE	-	SPRAYED SEMI-GLOSS	GC/MW	GC/MW	BY MW AT ALL FIXTURES WHERE SCHEDULED. A-501 FOR RESPONSIBILITY. AT FOH WALLS BY GC, U.O.N.
P4	ELECTROSTATIC PAINT	BENJAMIN MOORE	ESSEX GREEN	-	SPRAYED SEMI-GLOSS	GC	GC	EXISTING STOREFRONT METAL. ELECTROSTATIC OR APPROVED ALTERNATE. SEE STOREFRONT DRAWINGS.
P5	ELECTROSTATIC PAINT	BENJAMIN MOORE	ESSEX GREEN W/ 10% BLACK	-	SPRAYED SEMI-GLOSS	GC	GC	EXISTING STOREFRONT METAL. ELECTROSTATIC OR APPROVED ALTERNATE. SEE STOREFRONT DRAWINGS.
PL1	PLASTIC LAMINATE	FORMICA	COMMERCIAL - 949 WHITE	-	-	GC	GC	B.O.H. MILLWORK
WD3	WOOD	-	-	-	TBD	MW	MW	FOH AND CAFE AREA AT FAUX BEAMS. PROVIDE SAMPLES FOR APPROVAL AS REQUIRED.

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
FINISH SCHEDULE
RETAIL

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-402.00
CAD FILE NO.	A-401.00_FINISH.DWG
PAGE	37 of 55

K:\24\1524879-0000_DRAWINGS\D_CAD_SHEETS\A-401.00_FINISH.DWG / Plot Date: Mar 20, 2025 - 4:27 PM
Last Saved By: MHAMANN / Save Date: 3/20/2025 4:26:31 PM

FINISH SCHEDULE

CEILING FINISH

TAG	MATERIAL	MANUFACTURER/ SUPPLIER	PRODUCT # / COLOR	SIZE	TYPE / FINISH	RESPONSIBILITY PROVIDE	RESPONSIBILITY INSTALL	REMARKS
ACT2	ACOUSTIC CEILING TILE	ARMSTRONG	24" X 24" KITCHEN ZONE - #673	24" x 24", ½" REVEAL	ULTIMA TEGULAR w/ AIRGUARD COATING	GC	GC	RALPH'S COFFEE B.O.H.
P3	PAINT	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR	1 OR 2 MM	WHITE, FLAT	GC	GC	ALL GYPSUM CEILINGS
M3	METAL	LOCALLY SOURCED	POWDER-COATED GREEN TO MATCH M3	-	GREEN, FINISH TBD	GC	GC	STOREFRONT ENTRY VESTIBULE

WALL FINISH

TAG	MATERIAL	MANUFACTURER/ SUPPLIER	PRODUCT # / COLOR	SIZE	TYPE / FINISH	RESPONSIBILITY PROVIDE	RESPONSIBILITY INSTALL	REMARKS
BR1 - -	BRICK VENEER	TBD	TBD, WHITE	3" THK.	-	GC	GC	FOH AND CAFE. SEE ELEVATIONS FOR LAYOUT.
FRP1 - -	WHITE FRP	PANOLAM SURFACE SYSTEMS	WHITE	FRP CLASS A (0.075)	SMOOTH	GC	GC	CAFE BOH - TYPICAL. SEE ELEVATIONS.
FRP2 - -	BLACK FRP	PANOLAM SURFACE SYSTEMS	BLACK	FRP CLASS A (0.075)	SMOOTH	GC	GC	CAFE - BEHIND EQUIPMENT UNDER COUNTERTOP. SEE ELEVATIONS.
G1 - -	STOREFRONT GLASS (EXTERIOR)	-	-	AS SHOWN	TEMPERED	GC	GC	1" INSULATED. TO BE FULLY ENGINEERED PER LOCAL CODE. SEE STRUCTURAL DETAILS AND CALCULATIONS. SEE STOREFRONT DRAWINGS FOR MORE INFORMATION.
G2 - -	MIRROR GLASS	-	MIRROR	SITE-SPECIFIC	TEMPERED. LOW IRON.	MW	MW	FITTING ROOMS & CAFE MENU BOARD. EDGES & CORNERS w/ PRECISION MICRO-BEVEL (NOT SHARP).
G3 - -	STOREFRONT GLASS (DOORS)	-	-	MATCH EXISTING	TEMPERED AND LAMINATED	GC	GC	GLASS AT NEW CAFE DOORS. TINT, SECURITY, AND ENERGY PERFORMANCE TO MATCH EXISTING ADJACENT. SEE STOREFRONT DRAWINGS FOR MORE INFORMATION.
P2 - -	PAINT	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR WHITE	-	MATTE (CLEANABLE)	GC	GC	FOH, BOH, CAFE, HALLS/VESTIBULES, TOILET ROOMS. WHERE OTHER WALL FINISH NOT SPECIFIED.
P4 - -	ELASOMERIC COATING PAINT	SHERWIN WILLIAMS	MATCH BM ESSEX GREEN W/ 10% BLACK	-	CONFLEX SHERLASTIC. FLAT	GC	GC	STOREFRONT FACADE. SEE STOREFRONT DRAWINGS. GC TO PROVIDE SAMPLES TO RL AND ARCHITECT FOR FINISH AND COLOR APPROVAL.
T2 - -	SUBWAY TILE	NEMO TILE	METRO30625, WHITE	3" X 6"	GLOSSY	GC	GC	ADA RESTROOMS TO BE INSTALLED W/ TRIM S1/212J 1/2" X 12" TO MATCH AT TOP TRANSITION TO GYPSUM BOARD.
V1 - -	V-GROOVE PANELS	-	PAINTED. COLOR TBD	5/8" THK. 8" WIDE PREFABRICATED	TBD	GC	GC	FOH AND CAFE. SEE ELEVATIONS FOR LAYOUT.
EX1 - -	EXISTING STUCCO	-	-	EXISTING	TERRACOTTA	-	-	EXISTING TO REMAIN. EXTERIOR FACADE. SEE STOREFRONT ELEVATIONS. GC TO PATCH AND REPAIR AS REQUIRED FOR LIGHTING FIXTURE REPLACEMENT/REMOVAL SCOPE
EX2 - -	EXISTING STUCCO	-	-	EXISTING	GRAY	-	-	EXISTING TO REMAIN. EXTERIOR FACADE. SEE STOREFRONT ELEVATIONS. GC TO PATCH AND REPAIR AS REQUIRED FOR LIGHTING FIXTURE REPLACEMENT/REMOVAL SCOPE
EX3 - -	EXISTING PRECAST	-	-	EXISTING	GRAY	-	-	EXISTING TO REMAIN. EXTERIOR FACADE - NEUTRAL PIER BASE. SEE STOREFRONT ELEVATIONS. GC TO PATCH AND REPAIR AS REQUIRED.

BASE FINISH

TAG	MATERIAL	MANUFACTURER/ SUPPLIER	PRODUCT # / COLOR	SIZE	TYPE / FINISH	RESPONSIBILITY PROVIDE	RESPONSIBILITY INSTALL	REMARKS
P2 - -	PAINTED WOOD	BENJAMIN MOORE	50% ATRIUM, 50% DECORATOR WHITE	-	PRE-PRIMED AND PAINTED. SEMI-GLOSS	GC	GC	CROWN, WALL BASE, APPLIED MOLDING, TRIM
T3 - -	TILE	DALTILE	S3419T, ARCTIC WHITE	4.25" X 6"	WHITE GLOSSY	GC	GC	ADA RESTROOMS
T5 - -	TILE	-	LIMESTONE	MATCH EXISTING	MATCH EXISTING	GC	GC	MATCH EXISTING AT INFILL OF NEW STOREFRONT SYSTEM OR REPLACEMENT OF BROKEN/MISSING TILES. STOREFRONT BASE.
VB1 - -	VINYL	TARKETT	JOHNSONITE TRADITIONAL VINYL 1/8" (TYPE TV) 22 PEARL	4" H.	TOELESS	GC	GC	B.O.H.
T7 - -	BLACK MOSAIC TILE	DALTILE	PORCELAIN BLACK / EBONY	1" X 1" KEYSTONE	MATTE / NON-SLIP	GC	GC	RALPH'S CAFE SERVICE COUNTER

FLOOR FINISH

TAG	MATERIAL	MANUFACTURER/ SUPPLIER	PRODUCT # / COLOR	SIZE	TYPE / FINISH	RESPONSIBILITY PROVIDE	RESPONSIBILITY INSTALL	REMARKS
EX4	LL PAVERS	-	VARIES - EXISTING	-	-	-	-	EXISTING TO REMAIN. EXTERIOR. PROTECT THROUGHOUT CONSTRUCTION.
T1	TILE	TBD	BLACK SLATE	12" X 24"	HONED	GC	GC	EXTERIOR ENTRY VESTIBULE [100] TO BE INSTALLED IN RUNNING ⅓ OFFSET PATTERN
T4	MARBLE MOSAIC TILE	STONE SOURCE	HEXAGON, WHITE MARBLE	1" X 1"	NON SLIP	GC	GC	ADA RESTROOMS [106] & [118]
T6	ENCAUSTIC CEMENT TILE	VILLA LAGOON	CUBES A (PONDEROSA, RAINFOREST, WHITE)	8" X 8"	TBD LAYOUT/DIRECTION BY RL	RL	GC	CAFE AREA [120], VESTIBULE [119]
VCT2	VINYL COMPOSITE TILE	ARMSTRONG	STANDARD EXCELON IMPERIAL TEXTURE COLOR TBD	12" x 12"	NON SLIP	GC	GC	CAFE BOH [122]



1 TRANSITION DETAIL
MAIN ENTRY (LL SIDEWALK TO STONE)
SCALE: 6"=1'-0"



2 TRANSITION DETAIL
MAIN ENTRY (STONE TO COCO MAT)
SCALE: 6"=1'-0"



3 TRANSITION DETAIL
CAFE ENTRY (LL SIDEWALK TO MOSAIC TILE)
SCALE: 6"=1'-0"



4 TRANSITION DETAIL
COCO MAT TO WOOD
SCALE: 6"=1'-0"



5 TRANSITION DETAIL
STONE TILE TO TILE
SCALE: 6"=1'-0"

6 TRANSITION DETAIL
WOOD TO STONE TILE
SCALE: 6"=1'-0"



7 TRANSITION DETAIL
WOOD TO STONE TILE
SCALE: 6"=1'-0"



8 TRANSITION DETAIL
WOOD TO AREA RUG / CARPET
SCALE: 6"=1'-0"



9 TRANSITION DETAIL
WOOD TO CARPET
SCALE: 6"=1'-0"

10 TRANSITION DETAIL
WOOD TO VCT
SCALE: 6"=1'-0"

11 TRANSITION DETAIL
VCT TO TILE (CAFE BOH)
SCALE: 6"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
FLOOR DETAILS

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT · THOMAS ROBERT HUGHES · 26476 · RENEWAL DATE 08.31.25 · STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	6"=1'-0"
DWG NO.	A-410.00
CAD FILE NO.	A-410.00_FLOOR DETAILS.DWG
PAGE	11 of 75

K:\24\1524879.00\08_DRAWINGS\2_CAD\2_SHEETS\A-410.00_FLOOR DETAILS.DWG | Plot Date: Jan. 8, 2025 - 9:02 PM
Last Saved By: WHMANN | Save Date: 1/8/2024 4:23:58 PM



LANDLORD FIXTURE PLAN NOTE:

TENANT SHALL BE SOLELY RESPONSIBLE FOR THE DESIGN, INSTALLATION, AND USE OF ANY DISPLAY OR STORAGE SYSTEM(S) WITHIN THE PREMISE INCLUDING ALL COMPLIANCE WITH APPLICABLE BUILDING CODES, FIRE CODES AND THE REQUIREMENTS OF ANY INSURANCE RATING BUREAUS. IF ANYTHING DONE, OMITTED TO BE DONE OR SUFFERED TO BE DONE BY TENANT IN, UPON OR ABOUT THE PREMISES IN REGARD TO SUCH DISPLAY OR STORAGE SYSTEM(S) SHALL RESULT IN A FIRE CODE VIOLATION(S) AND THE TENANT FAILS TO TAKE CORRECTIVE ACTION AND / OR PAY THE ASSOCIATED FINE, REGARDLESS OF WHETHER ASSESSED AGAINST TENANT OR LANDLORD, WITHIN THE PRESCRIBED TIME PERIOD, THEN TENANT SHALL BE LIABLE FOR ALL COSTS AND EXPENSES RESULTING FROM SUCH VIOLATION(S) AND LANDLORD SHALL HAVE THE RIGHT TO CORRECT ANY SUCH CONDITION(S) AT TENANT'S EXPENSE.

•TENANT DISPLAY FIXTURES IN THE RETAIL SPACE AND RACK / SHELVING / STORAGE UNITS IN THE STOCKROOM SHALL BE DESIGNED TO PROVIDE ADEQUATE CLEARANCE FOR THE AUTOMATIC (FIRE) SPRINKLER SYSTEM. NO DISPLAYS OR STORAGE SHOULD EXCEED 12'T AND CEILINGS MUST BE INSTALLED TO PROVIDE A MINIMUM OF 18" OF CLEARANCE BETWEEN THE TOP OF THE STORAGE SYSTEM AND SPRINKLER DEFLECTORS.

•TENANT MOBILE / COMPACT STORAGE SYSTEMS SHALL BE CONSTRUCTED OF WIRE MESH SHELVES. HOWEVER, IF CONSTRUCTED WITH SOLID SHELVES (WOOD OR STEEL), THE UNITS SHALL BE INSTALLED WITH A MINIMUM OF A 3" SPACER TO PROVIDE SPACE BETWEEN UNITS AT MAXIMUM 5'-0" INTERVALS.

1 FIXTURE PLAN

SCALE: 1/4"=1'-0"

GENERAL NOTES

1. THESE PLANS MEET ALL ADA REQUIREMENTS.
2. SEE CONSTRUCTION PLAN FOR PERIMETER FIXTURE LOCATIONS.
3. ALL DIMENSIONS TO CENTERLINE OF FIXTURE, U.N.O.
4. FLOOR FIXTURES TO BE INSTALLED SUCH THAT MIN. EGRESS PATH WIDTH IS NOT COMPROMISED. SEE EGRESS & LIFE SAFETY PLAN.
5. MILLWORK ANCHORING METHODS & SEAMING TO BE COORDINATED WITH MILLWORKER. PREP WALLS AS REQUIRED TO RECEIVE MILLWORK.
6. MILLWORK TO BE SHIMMED OR LEVELED TO MAINTAIN ALIGNMENT WITH FLOOR FINISH.
7. MILLWORK POWER / DATA CONNECTIONS TO BE COORDINATED WITH ELECTRICAL CONTRACTOR PRIOR TO INSTALLATION.
8. ALL DIMENSIONS TO / FROM FACE OF FINISHES.
9. ALL FURNITURE IS PROVIDED BY OWNER'S VENDOR & INSTALLED BY GC. OWNER TO COORDINATE EXACT LOCATION. PRICES TO INCLUDE SHIPPING & FREIGHT CHARGES / FEES, LICENSE & PERMITS. INSTALLATION TO BE PERFORMED BY QUALIFIED LABOR DURING NORMAL BUSINESS HOURS. PRIOR-AUTHORIZATION FOR OVERTIME DELIVERIES, IF REQUIRED BY BUILDING MANAGEMENT, TO BE OBTAINED FROM & COORDINATED w/ OWNER.
10. COORDINATE ALL BLOCKING w/ MILLWORK VENDOR PRIOR TO CLOSING UP NEW WALL CONSTRUCTION.
11. VERIFY FREIGHT CAPACITIES, DIMENSIONS OF OPENINGS & DELIVERY PATH TO ENSURE SUFFICIENT SPACE IS PRESENT / PROVIDED FOR PASSAGE OF FIXTURES INTO SPACE.
12. PROTECTION TO BE PROVIDED BY VENDOR FOR ALL SURFACES SUSCEPTIBLE TO DAMAGE DURING FIXTURE DELIVERY. VENDOR RESPONSIBLE TO CORRECT ANY DAMAGES CAUSED BY DELIVERY & COORDINATION w/ BUILDING MANAGEMENT.
13. COORDINATE PATH OF TRAVEL, ANY BUILDING FEES & DELIVERY SCHEDULES w/ BUILDING MANAGEMENT & OWNER.
14. COORDINATE MILLWORK w/ EXISTING & NEW CONSTRUCTION, MECHANICAL, FURNITURE & OTHER RELATED ELEMENTS.
15. MATERIALS TO BE AS SPECIFIED & OF HIGHEST-QUALITY BY ACCEPTED COMMERCIAL STANDARDS.
16. OWNER TO CONFIRM CONCEPTS.

FIXTURE SCHEDULE

TAG	DESCRIPTION	F	I
FX-1	FREE STANDING - POS STATION - TIERED TABLE	MW	MW
FX-2	FREE STANDING - FIXED SINGLE SHELF SINGLE BAY FIXTURE WITH LOOK BAR	MW	MW
FX-3	FREE STANDING - FIXED SINGLE SHELF DOUBLE BAY WITH LOOK BARS	MW	MW
FX-4	FREE STANDING - TABLE 4'-0" X 10'-0"	RL	GC
FX-4.1	FREE STANDING - NESTER BENCH BY DECO	RL	GC
FX-5	FREE STANDING - TIERED TABLE 1'1-0" X 6'-0"	RL	GC
FX-6	FREE STANDING - TRACK TIERED TABLE 8'-0" X 3'-0"	RL	GC
FX-7	FREE STANDING - TABLE 10'-0" X 5'-0"	RL	GC
FX-8	FREE STANDING - ROUND TABLE BY DECO 4'-8" DIA.	RL	GC
FX-9	FREE STANDING - TABLE 8'-0" X 2'-4"	RL	GC
FX-10	FREE STANDING - HANGER 3'-0"	MW	MW
FX-11	FREE STANDING - FLOOR VITRINE BY DECO	RL	GC
FX-12	FREE STANDING - DOUBLE SIDED FIXTURE 3'-0"	RL	GC
FX-13	CEILING MTD. - 3 BAY STRAP FIXTURE 3'-0" PER BAY	MW	MW
FX-14	CEILING MTD. - 4 BAY STRAP FIXTURE 3'-0" PER BAY	MW	MW
FX-15	FREE STANDING - WOOD CASE 5'-8" X 1'-8"	MW	MW
FX-16	FREE STANDING - HANG-BAR BY DECO	RL	GC
FX-17	FREE STANDING - 5 BAY WALL CASE 3'-0" PER BAY	MW	MW
FX-18	FREE STANDING - ETAGERE 2'-6"	MW	MW
FX-19	FREE STANDING - ETAGERE 3'-0"	MW	MW
FX-20	IN-SET WALL - ONE BAY ADJUSTABLE SHELF AND HOOKS, SEE PLAN FOR WIDTH	MW	MW
FX-21	IN-SET WALL - 2 BAY ADJUSTABLE SHELF, SEE PLAN FOR WIDTH	MW	MW
FX-22	IN-SET WALL - CENTER BAY FIXED SINGLE SHELF WITH HANG-BAR	MW	MW
FX-23	IN-SET WALL - CENTER BAY FIXED DOUBLE SHELF WITH HANG-BAR	MW	MW
FX-24	IN-SET WALL - ADJUSTABLE SHELVES - ACCESSORIES 2'-0"	MW	MW
FX-25	FREE STANDING - ADA BENCH 3'-6" X 1'-8"	RL	GC
FX-26	FLOOR MTD. - CAFE SEATING BANQUETTE	MW	MW
FX-27	FREE STANDING - ETAGERE 5'-6" X 1'-6"	MW	MW

TAG	DESCRIPTION	F	I
DC-1	DECO CHAIR	RL	GC
DC-2	ROUND TABLE 4'-0"	RL	GC
DC-3	PLANTER - 20" X 20"	RL	GC
DC-4	MANNEQUIN	RL	RL
DC-5	FITTING ROOM CHAIR	RL	GC
DC-6	CAFE ROUND TABLE 2'-6" DIA.	RL	GC
DC-7	CAFE CHAIR	RL	GC
DC-8	STANCHION BARRIER - 44"L W/ SUNBRELLA (OE EQUIVALENT) FABRIC. WHITE. LOGO TO MATCH ESSEX GREEN W/ 10% BLACK. (NON-ANCHORED. NO ATTACHMENT TO LL PAVERS)	RL	RL
MX-1	WALL MOUNTED MIRROR - TYPICAL, SEE ELEVATIONS	MW	MW
MX-2	WALL MOUNTED MIRROR - LARGE, SEE ELEVATIONS	MW	MW

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A

Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
FIXTURE PLAN

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-501.00
CAD FILE NO.	A-501.00_FIXTURE.DWG
PAGE	39 of 55

K:\24\1524879-00\08_DRAWINGS\2_CAD_SHEETS\A-501.00_FIXTURE.DWG / Plot Date: Mar. 20, 2025 - 4:23 PM
Last Saved By: MHAMANN / Save Date: 3/20/2025 4:23:05 PM



A DOOR TYPE - EXTERIOR — SCALE: 3/8"=1'-0"



B DOOR TYPE - EXTERIOR — SCALE: 3/8"=1'-0"



C DOOR TYPE — SCALE: 3/8"=1'-0"



D DOOR TYPE — SCALE: 3/8"=1'-0"



E DOOR TYPE — SCALE: 3/8"=1'-0"



F DOOR TYPE — SCALE: 3/8"=1'-0"



G DOOR TYPE — SCALE: 3/8"=1'-0"



H DOOR TYPE — SCALE: 3/8"=1'-0"



J DOOR TYPE — SCALE: 3/8"=1'-0"



K DOOR TYPE — SCALE: 3/8"=1'-0"

NOTE: BACK OF HOUSE SIGNAGE TO BE SUPPLIED, INSTALLED AND COORD. BY GC. COORD.FINISH REQS WITH OWNER AND MILLWORK VENDOR



SIGNAGE NOTES:

1. SIGN TO BE ADHESIVE ACRYLIC WITH RAISED CHARACTERS WITH A MINIMUM HEIGHT OF $\frac{5}{8}$" AND MAXIMUM HEIGHT OF 2" ACCOMPANIED BY GRADE 2 BRAILLE
2. PICTOGRAMS SHALL HAVE THE EQUIVALENT VERBAL DESCRIPTION LISTED DIRECTLY BELOW
3. CHARACTERS, SYMBOLS AND THEIR BACKGROUNDS SHALL HAVE A NON-GLARE FINISH WITH CHARACTERS AND SYMBOLS THAT CONTRAST WITH THE BACKGROUND.
4. SIGN TO BE MOUNTED AT LATCH-SIDE OF DOOR. WHEN SIGN OCCURS AT DOUBLE DOORS, MOUNT AT RIGHT SIDE OF RIGHT-HAND DOOR. WHEN WALL SPACE IS NOT AVAILABLE IN SUCH LOCATIONS, SIGN TO BE INSTALLED ON NEAREST ADJACENT WALL.
5. PROVIDE 18" x18" CLEAR FLOOR AREA CENTERED ON SIGN, BEYOND THE ARC OF ANY DOOR SWING
6. SIGNS TO BE BROWN WITH WHITE LETTERS, TYPICAL
7. TACTILE EXIT SIGNS SHALL COMPLY WITH SECTION 11B-703 AND 1011.4 OF THE BUILDING CODE.
8. GC TO PROVIDE "NO SMOKING" SIGN WITHIN 25 FEET OF BUILDING ENTRIES, OUTDOOR AIR INTAKES AND OPERABLE WINDOWS.
9. SIGNS TO BE INSTALLED IN COMPLIANCE WITH ALL APPLICABLE ACCESSIBILITY CODES & STANDARDS.

BRAILLE SIGNAGE NOTES:

1. PER THE LL REQUIREMENTS BRAILLE SIGNAGE TO BE INSTALLED AT TENANT STORE ENTRY POINTS IN COMPLIANCE WITH THE CITY OF PALO ALTO ADA/ BRAILLE CODES REQUIRED. G.C. TO PROVIDE AND INSTALL SIGNAGE BELOW AS SPECIFIED, COORDINATE FINAL LOCATION WITH TENANT AND LL.



CAST BRONZE PLAQUE WITH INTEGRATED TACTILE LETTERING AND BRAILLE, DARK PAINTED FINISH WITH BRIGHT HIGHLIGHTS ON DETAILS AND BORDER, WITH VINYL BACKER FOR ATTACHMENT.

LL REQUIRED VENDOR:

SIGNWORKS
1200 INDUSTRIAL ROAD, UNIT 14
SAN CARLOS, CA 94070

DIRECT: (650) 508-7446

DOOR SCHEDULE

DOOR #	LOCATION	DOOR TYPE	DOOR SIZE (W x H)	DOOR HANDLING	DOOR MATERIAL	DOOR UNDERCUT	FRAME HEAD	FRAME JAMB	FRAME MATERIAL	FRAME THRESHOLD	FIRE RATING (HRS)	HARDWARE SET	RESPONSIBILITY	REMARKS
100	EXTERIOR - RETAIL ENTRY [121] -	A	EXISTING	L.H.R. / R.H.R.	EXST	-	EXST	EXST	EXST	MTL	-	1	GC	REFER TO STOREFRONT DRAWINGS FOR DETAILS. REFINISH DOORS AS REQUIRED.
101	EXTERIOR - CAFE ENTRY [121]	B	6'-0" x 7'-6"	L.H.R. / R.H.R.	METAL / GLASS	-	-	-	MTL	MTL	-	2	GC	REFER TO STOREFRONT DRAWINGS FOR DETAILS
102	B.O.H. CORRIDOR [105] / B.O.H.	C	3'-0" X 8'-6"	L.H.R	WOOD	-	H4	J4	WD	-	-	3	GC	SECURITY HARDWARE, PAINT BOTH SIDES OF DOOR "PT1"
103	ADA RESTROOM [106]	D	3'-0" x 8'-6"	L.H.	WOOD	-	H1	J1	WD	ST	-	5	GC	REFER TO ELEVATION FOR FINISHES
104	MANAGER'S OFFICE [108]	J	3'-0" x 7'-0"	R.H.	HM	-	H2	J2	HM	-	-	4	GC	PAINT DOOR AND FRAME ON BOTH SIDES TO MATCH ADJACENT WALL FINISH.
105	SUPPLY CLOSET [107]	H	4'-4 3/4" x 7'-0"	-	WOOD	-	H5	J5	HM	-	-	6	GC	PAINT DOOR AND FRAME ON BOTH SIDES TO MATCH ADJACENT WALL FINISH.
106	B.O.H. / CLOSET	G	3'-7 1/8" x 7'-0"	-	WOOD	-	H5	J5	HM	-	-	6	GC	PAINT DOOR AND FRAME ON BOTH SIDES TO MATCH ADJACENT WALL FINISH.
107	ADA FITTING ROOM [113]	D	3'-0" x 8'-6"	R.H.	WOOD	-	H1	J1	WD	-	-	8	GC	REFER TO ELEVATION FOR FINISHES
108	FITTING ROOM [114]	D	3'-0" x 8'-6"	R.H.	WOOD	-	H1	J1	WD	-	-	7	GC	REFER TO ELEVATION FOR FINISHES
109	FITTING ROOM [115]	D	3'-0" x 8'-6"	R.H.	WOOD	-	H1	J1	WD	-	-	7	GC	REFER TO ELEVATION FOR FINISHES
110	FITTING ROOM [116]	D	3'-0" x 8'-6"	R.H.	WOOD	-	H1	J1	WD	-	-	7	GC	REFER TO ELEVATION FOR FINISHES
111	ELEC. ROOM [117]	F	4'-0" x 7'-11 1/2"	L.H.R	WOOD	-	H3	J3	WD	-	-	9	MW	REFER TO ELEVATION FOR FINISHES. PAINT DOOR AT BOH TO MATCH ADJACENT WALL FINISH.
112	ADA RESTROOM [118]	D	3'-0" x 8'-6"	R.H.	WOOD	-	H1	H1	WD	ST	-	5	GC	REFER TO ELEVATION FOR FINISHES
113	CAFE KITCHEN [122]	E	3'-0" x 8'-6"	R.H. / L.H.R.	WOOD	-	H6	H6	MTL	MTL	-	8	GC	REFER TO ELEVATION FOR FINISHES
114	FITTING ROOM CLOSET [112]	K	4'-1" x 8'-6"	L.H.R. / R.H.R.	WOOD	-	H1	J1	WD	-	-	7	GC	REFER TO ELEVATION FOR FINISHES

HARDWARE SCHEDULE

SET	HARDWARE DESCRIPTION	QTY.	DESCRIPTION	MANUFACTURER	ITEM NO. / FINISH	REMARKS	RESPONSIBILITY
1	RETAIL ENTRY	4	PULL	-	-	CUSTOM PULLS. MATCH BRONZE BAKED ENAMEL RL CONTROL SAMPLE. RL TO PROVIDE MORE INFORMATION. TO FIT INTO REMOVED PULL ATTACHMENT LOCATIONS AT EXISTING DOOR.	GC
2	CAFE ENTRY	4	PULL	-	-	CUSTOM PULLS. MATCH BRONZE BAKED ENAMEL RL CONTROL SAMPLE. RL TO PROVIDE MORE INFORMATION. TO MATCH RETAIL ENTRY PULLS.	GC
		4	HINGE	SUN VALLEY	BH-4545 W/ BH-STPL FINIAL	PROVIDE WITH FINIAL (TOP AND BOTTOM). FINISH TO MATCH M1 BRONZE.	GC
		1	DEADBOLT	ADAMS RITE	MS1861-01		GC
		1	DEADBOLT	ADAMS RITE	MS1861-02	2-POINT AT ACTIVE LEAF.	GC
		1	CYLINDER	-	-	MORTISE.	GC
		1	STRIKE	IVES	DP2	ROUND. DUST PROOF.	GC
		1	STOP	SUN VALLEY	DS-2HE 3 $\frac{1}{2}$"	CONFIRM FINAL FINISH WITH RL.	GC
		1	THUMBTURN	SCHLAGE	80-113	CONFIRM FINAL FINISH WITH RL. AT INTERIOR.	GC
		1	SWEEP			BLACK.	GC
3	FOH - BOH	1	LEVER	BALDWIN	L029 LEVER, R017 ROSETTE	PASSAGE FUNCTION. FINISH TO MATCH M1 BRONZE.	GC
		4	HINGE	SUN VALLEY	BH-4545 W/ BH-STPL FINIAL	PROVIDE WITH FINIAL (TOP AND BOTTOM). FINISH TO MATCH M1 BRONZE.	GC
		1	STOP	BALDWIN	4505	1 $\frac{1}{2}$"D. FLOOR MOUNTED. FINISH TO MATCH M1 BRONZE. CONFIRM HEIGHT WITH UNDER-CUT OF DOOR.	GC
		4	CONCEALED CLOSER	LCN	3133H	FINISH TO MATCH M1 BRONZE.	GC
		1	PUSH PLATE	BALDWIN	2121	FINISH TO MATCH M1 BRONZE.	GC
		1	KICK PLATE	IVES	8400 (12" HEIGHT)	FINISH TO MATCH M1 BRONZE.	GC
4	MANAGER'S OFFICE	1	LEVER/LOCKSET	SCHLAGE	LATITUDE. PLYMOUTH TRIM.	KEYED ENTRY. SATIN CHROME	GC
		3	HINGE	STANLEY	FBB179	4.5" x 4.5"	GC
		1	STOP	BALDWIN	4505.264	SATIN CHROME.	GC
		1	CLOSER	LCN	4040 SERIES	OVERHEAD DOOR CLOSER w/ REGULAR ARM. INSTALL AT LEAST-OCCUPIED SIDE OF DOOR	GC
		1	CYLINDER	-	-	REMOVABLE CORE (PROVIDE CONSTRUCTION CORE)	GC
		1	PUSH PLATE	BALDWIN	2121	AT PUSH SIDE. SEE DOOR TYPE. SATIN CHROME.	GC
		1	KICK PLATE	IVES	8400 (12" HEIGHT)	AT PUSH SIDE. SEE DOOR TYPE. SATIN CHROME.	GC
5	RESTROOM	1	LOCKSET	BALDWIN	L029 LEVER, R017 ROSETTE	PRIVACY FUNCTION. FINISH TO MATCH M1 BRONZE.	GC
		1	CORE	-	-	PER LEVER MFR. CONSTRUCTION CORE KEY ALIKE WHERE APPLICABLE.	GC
		1	KEY	-	-	CONSTRUCTION KEYS WHERE APPLICABLE.	GC
		4	HINGE	SUN VALLEY	BH-4545 W/ BH-STPL FINIAL	PROVIDE WITH FINIAL (TOP AND BOTTOM). FINISH TO MATCH M1 BRONZE.	GC
		1	STOP	BALDWIN	4505	1 $\frac{1}{2}$"D. FLOOR MOUNTED. FINISH TO MATCH M1 BRONZE. CONFIRM HEIGHT WITH UNDER-CUT OF DOOR.	GC
		4	CONCEALED CLOSER	LCN	3133H	FINISH TO MATCH M1 BRONZE.	GC
6	BI-FOLD CLOSET	1	PIVOT	STANLEY	BFN125N	TOP AND BOTTOM. PER SET OF LEAVES. OR APPROVED EQUAL. PROVIDE TRACK AS REQUIRED.	GC
		3	HINGE	-	-	PER SET OF LEAVES.	GC
		1	LOCK	-	-	PER SET OF LEAVES. RL TO CONFIRM.	GC
		1	PULL	IVES	960	FINGER PULL. PER SET OF LEAVES. SATIN CHROME.	GC
7	FITTING ROOM	1	LOCKSET	BALDWIN	L029 LEVER, R017 ROSETTE	PRIVACY FUNCTION. FINISH TO MATCH M1 BRONZE.	GC
		1	CORE	-	-	PER LEVER MFR. CONSTRUCTION CORE KEY ALIKE WHERE APPLICABLE.	GC
		1	KEY	-	-	CONSTRUCTION KEYS WHERE APPLICABLE.	GC
		4	HINGE	SUN VALLEY	BH-4545 W/ BH-STPL FINIAL	PROVIDE WITH FINIAL (TOP AND BOTTOM). FINISH TO MATCH M1 BRONZE.	GC
		1	STOP	BALDWIN	4505	1 $\frac{1}{2}$"D. FLOOR MOUNTED. FINISH TO MATCH M1 BRONZE. CONFIRM HEIGHT WITH UNDER-CUT OF DOOR.	GC
8	CAFE BOH	2	PUSH PLATE	BALDWIN	2121	DOUBLE ACTING DOOR. PROVIDE AT BOTH SIDES. FINISH TO MATCH M1 BRONZE.	GC
		3	PIVOT HINGE	BOMMER	7512 SERIES	FINISH TO MATCH M1 BRONZE.	GC
		1	STOP	OMNIA	OMN-7000, US32D	COORD. HEIGHT w/ UNDERCUT OF DOOR; COORD. LOCATION PER ADJACENT WALLS / MILLWORK	GC
		1	CLOSER	LCN	603X - 695 BRONZE	CONCEALED DOUBLE ACTING DOOR CLOSER. OR APPROVED EQUAL. MATCH M1 BRONZE.	GC
		1	CUSTOM PORTHOLE	-	-	TRIM TO MATCH M1 BRONZE. CONFIRM FINAL DIAMETER WITH RL.	GC
9	HIDDEN FOH DOOR	2	EDGE PULL	SA BAXTER	AEP-3000	AT FOH SIDE. CONCEAL INTEGRATED INTO MIRROR FRAME. FINISH TO MATCH M1 BRONZE.	MILLWORKER
		2	PUSH PLATE	BALDWIN	2121	PROVIDE AT PUSH SIDE. SATIN CHROME.	MILLWORKER
		4	HINGE	SOSS	218	AT FOH SIDE. FINISH TO MATCH M1 BRONZE. TO BE CONCEALED BEYOND MIRROR FRAME.	MILLWORKER
		1	STOP	OMNIA	OMN-7000, US32D	1 $\frac{1}{2}$"D. FLOOR MOUNTED. FINISH TO MATCH M1 BRONZE. CONFIRM HEIGHT WITH UNDER-CUT OF DOOR.	GC
		1	CLOSER	-	-	RL TO CONFIRM.	MILLWORKER
		1	MAGNETIC CATCH	IVES	327	MOUNTED A TOP OF DOOR AND FINGER PULL SIDE.	MILLWORKER

GENERAL NOTES

DOOR & HARDWARE NOTES:

1. ALL EGRESS DOORS TO BE READILY OPERABLE FROM EGRESS SIDE w/OUT KEY OR REQUIRING SPECIAL KNOWLEDGE OR ABILITY TO GRASP OPENING HARDWARE.
2. ANY DOOR PART OF EGRESS SYSTEM MUST BE PROVIDED w/ PERMANENT, DURABLE TACTILE SIGN, VISIBLE FROM HEADER FRAME STATING "THIS DOOR TO REMAIN UNLOCKED WHEN SPACE IS OCCUPIED" IN ACCORDANCE w/ LOCAL JURISDICTIONAL REQUIREMENTS.
3. ALL ACCESSIBLE ENTRANCES TO BE IDENTIFIED w/ (1) INTERNATIONAL SYMBOL OF ACCESSIBILITY MIN., VISIBLE TO PERSONS ALONG APPROACHING CIRCULATION PATH.
4. NO DOOR, OTHER THAN FIRE DOORS, CAN EXCEED 5 LB. PUSH / PULL FORCE RESTRICTION; DOOR LATCHES MUST RELEASE WHEN SUBJECT TO 15 LB. FORCE.
9. ALL ACCESSIBLE DOOR HARDWARE TO BE LEVER-TYPE PER ADA REQUIREMENTS; DOOR LATCHES & LOCKSETS SHALL BE MOUNTED BELOW 48" A.F.F.
10. USE WELDED DOOR BUCKS ONLY; NOT KNOCKDOWN-TYPE.
11. COORDINATE ALL KEYING w/ OWNER & ASSET PROTECTION.
12. CONFIRM CARD ACCESS REQUIREMENTS & LOCK FUNCTIONS w/ ASSET PROTECTION.
13. ALL CORES TO BE INTERCHANGEABLE 6-PIN/SMALL FORMAT PROVIDED BY GC.
14. ALL DOOR LOCKS TO BE INTERCHANGEABLE /INSTAKEY CORES (7-PIN) w/ MASTER KEY PROVIDED BY ASSET PROTECTION.
15. PROVIDE GLASS BREAKS ON ALL GLASS DOORS.

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT

RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING

DOOR TYPES & SCHEDULES

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-600.00
CAD FILE NO.	A-600.00_DOOR SCHEDULE.DWG
PAGE	40 of 55

K:\01\1524879.0008_DRAWINGS_CAD\2_SHEETS\A-600.00_DOOR SCHEDULE.DWG | Plot Date: Mar 20, 2025 - 6:22 AM
Last Saved By: MHAMANI | Save Date: 3/1/2025 7:41:39 AM

1 **STOREFRONT ELEVATION - WEST** SCALE: 1/4"=1'-0"



2 **STOREFRONT ELEVATION - SOUTHWEST** SCALE: 1/4"=1'-0"

DRAWINGS FOR DESIGN REFERENCE. GC TO PROVIDE FULLY ENGINEERED SHOP DRAWINGS FOR METAL FRAMING AND SUPPORTS AT STOREFRONT PREPARED BY AN ENGINEER LICENSED IN THE PROJECT JURISDICTION. COORDINATE ALL DETAILS AND SIZES WITH STRUCTURAL REQUIREMENTS TO MATCH THE EXISTING CONDITIONS

STOREFRONT VENDOR TO CONFIRM THICKNESS OF GLASS REQUIRED PRIOR TO COMMENCING ANY CONSTRUCTION / FABRICATION.

EXTERIOR SIGNAGE SHOWN FOR REFERENCE ONLY. SIGNAGE TO BE FILED UNDER SEPARATE PERMIT.



3 **STOREFRONT PLAN - WEST** SCALE: 1/4"=1'-0"



4 **STOREFRONT PLAN - SOUTHWEST** SCALE: 1/4"=1'-0"

5 **STOREFRONT ELEVATION - SOUTH** SCALE: 1/4"=1'-0"



6 **STOREFRONT PLAN - SOUTH** SCALE: 1/4"=1'-0"

RALPH LAUREN

SPACE PLAN



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
ENLARGED PLAN & ELEVATIONS - STOREFRONT

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	1/4"=1'-0"
DWG NO.	A-700.00
CAD FILE NO.	A-700.00_STOREFRONT ELEV.DWG
PAGE	42 of 55

K:\24\1524879.0000_DRAWINGS_CAD\2_SHEETS\A-700.00_STOREFRONT ELEV.DWG | Plot Date: Mar. 20, 2025 - 4:55 PM
Last Saved By: MHAMANN | Save Date: 3/20/2025 4:49 PM

1 ENLARGED STOREFRONT ELEVATION

SCALE: 1/2"=1'-0"



EXTERIOR SIGNAGE SHOWN FOR REFERENCE ONLY. SIGNAGE TO BE FILED UNDER SEPARATE PERMIT.

2 ENLARGED STOREFRONT PLAN

SCALE: 1/2"=1'-0"

K:\241\524879-00\08_DRAWINGS\2_CAD\2_SHEETS\A-701.00_ENLARGED STOREFRONT ELEV.DWG | Plot Date: Jan. 8, 2025 - 9:47 PM
Last Saved By: MHAMANY | Save Date: 1/8/2025 5:27:23 PM

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPGArchitecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
ENLARGED PLAN & ELEVATIONS
STOREFRONT

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3/8"=1'-0"
DWG NO.	A-701.00_ENLARGED STOREFRONT ELEV.DWG
CAD FILE NO.	
PAGE	41 of 66

A-701.00



1 ENLARGED STOREFRONT ELEVATION — SCALE: 1/2"=1'-0"



EXTERIOR SIGNAGE SHOWN FOR REFERENCE ONLY. SIGNAGE TO BE FILED UNDER SEPARATE PERMIT.

2 ENLARGED STOREFRONT PLAN — SCALE: 1/2"=1'-0"

K:\24\1524879-00\08_DRAWINGS\2_CAD\3_SHEETS\A-701.00_ENLARGED STOREFRONT ELEV.DWG | Print Date: Mar 20, 2025 - 4:55 PM
Last Saved By: MHAMANN | Save Date: 3/19/2025 5:28:03 PM

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
ENLARGED PLAN & ELEVATIONS
STOREFRONT

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	3/8"=1'-0"
DWG NO.	A-702.00
CAD FILE NO.	A-701.00_ENLARGED STOREFRONT ELEV.DWG
PAGE	44 of 55



1 ENLARGED STOREFRONT ELEVATION SCALE: 1/2"=1'-0"



EXTERIOR SIGNAGE SHOWN FOR REFERENCE ONLY. SIGNAGE TO BE FILED UNDER SEPARATE PERMIT.

2 ENLARGED STOREFRONT PLAN SCALE: 1/2"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP, FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
ENLARGED PLAN & ELEVATIONS
STOREFRONT

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT — JAMES ROBERT HUGHES — 26476 — RENEWAL DATE 08.31.25 — STATE OF CALIFORNIA

DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	3/8"=1'-0"
DWG NO.	A-703.00
CAD FILE NO.	A-701.00_ENLARGED STOREFRONT ELEV.DWG
PAGE	45 of 55

K:\01\1524879.0008_DRAWINGS_CAD\2_SHEETS\A-701.00_ENLARGED STOREFRONT ELEV.DWG | Plot Date: Mar. 20, 2025 - 4:55 PM
Last Saved By: MHAMANN | Save Date: 3/19/2025 5:28:03 PM

NOTE:
FULL STOREFRONT SCOPE BY GC UNLESS OTHERWISE NOTED.

NOTE:
FINISH SAMPLES TO BE APPROVED BY RL & ARCHITECT. COORDINATE FULL SUBMITTAL SAMPLE PACKAGE TO BE SENT TO RL (NEW YORK) AND TPG (NEW YORK).

NOTE:
GLAZING ANCHORING METHOD(S) TO BE FULLY-COORDINATED BY GC



1 **STOREFRONT SECTION**
- EXTERIOR @ SHOW WINDOW

SCALE: 3/4"=1'-0"



2 **STOREFRONT SECTION**
- EXTERIOR @ DISPLAY SHOW WINDOW

SCALE: 3/4"=1'-0"



3 **STOREFRONT SECTION**
- EXTERIOR @ SALES ENTRY DOOR

SCALE: 3/4"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTIONS

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3/4"=1'-0"
DWG NO.	A-710.00_STOREFRONT SECTIONS.DWG
	A-710.00
CAD FILE NO.	PAGE 41 of 66

K:\24\1524879.00\08_DRAWINGS\2_CAD\3_SHEETS\A-710.00_STOREFRONT SECTIONS.DWG | Plot Date: Jan. 8, 2025 - 10:00 PM
Last Saved By: HSU,AM | Save Date: 12/29/2024 1:44:26 PM

NOTE:
FULL STOREFRONT SCOPE BY GC UNLESS OTHERWISE NOTED.

NOTE:
FINISH SAMPLES TO BE APPROVED BY RL & ARCHITECT. COORDINATE FULL SUBMITTAL SAMPLE PACKAGE TO BE SENT TO RL (NEW YORK) AND TPG (NEW YORK).

NOTE:
GLAZING ANCHORING METHOD(S) TO BE FULLY-COORDINATED BY GC.



1 STOREFRONT SECTION
- EXTERIOR @ CAFE ENTRY DOOR
SCALE: 3/4"=1'-0"



2 STOREFRONT SECTION
- EXTERIOR @ CAFE ENTRY DOOR
SCALE: 3/4"=1'-0"



3 STOREFRONT SECTION
- EXTERIOR @ CAFE
SCALE: 3/4"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTIONS

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT * ROBERT HUGHES * 26476 * RENEWAL DATE 8/31/25 * STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3/4"=1'-0"
DWG NO.	A-710.00_STOREFRONT SECTIONS.DWG
	A-711.00
CAD FILE NO.	PAGE 41 of 66

K:\24\1524879.0008_DRAWINGS\2_CAD\3_SHEETS\A-710.00_STOREFRONT SECTIONS.DWG | Plot Date: Jan. 8, 2025 - 10:06 PM
Last Saved By: HSU,AM | Save Date: 12/20/2024 1:44:28 PM

NOTE:
FULL STOREFRONT SCOPE BY GC UNLESS OTHERWISE NOTED.

NOTE:
FINISH SAMPLES TO BE APPROVED BY RL & ARCHITECT. COORDINATE FULL SUBMITTAL SAMPLE PACKAGE TO BE SENT TO RL (NEW YORK) AND TPG (NEW YORK).

NOTE:
GLAZING ANCHORING METHOD(S) TO BE FULLY-COORDINATED BY GC



1 **STOREFRONT SECTION**
- EXTERIOR @ CAFE WINDOW

SCALE: 3/4"=1'-0"

K:\24-1524879-00\08_DRAWINGS\2_CAD_SHEETS\A-710.00_STOREFRONT SECTIONS.DWG / Plot Date: Jan. 8, 2025 - 10:19 PM
Last Saved By: HSUAN / Save Date: 12/20/2024 1:44:26 PM

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID AND PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTIONS

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT ROBERT HUGHES 26476 RENEWAL DATE 8/31/25 STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3/4"=1'-0"
DWG NO.	A-710.00_STOREFRONT SECTIONS.DWG
CAD FILE NO.	

A-712.00



1 **STOREFRONT PLAN DETAIL - LL NEUTRAL PIER AND EXISTING GLAZING** SCALE: 3"=1'-0"



2 **STOREFRONT PLAN DETAIL - EXISTING GLAZING - TYPICAL** SCALE: 3"=1'-0"



3 **STOREFRONT PLAN DETAIL - EXISTING GLAZING - TYPICAL** SCALE: 3"=1'-0"



4 **STOREFRONT PLAN DETAIL - SHOW WINDOW** SCALE: 3"=1'-0"



5 **STOREFRONT PLAN DETAIL - ENTRY** SCALE: 3"=1'-0"



6 **STOREFRONT PLAN DETAIL - ENTRY** SCALE: 3"=1'-0"



7 **STOREFRONT PLAN DETAIL - SHOW WINDOW** SCALE: 3"=1'-0"



8 **STOREFRONT PLAN DETAIL - ENTRY VESTIBULE** SCALE: 3"=1'-0"



9 **STOREFRONT PLAN DETAIL - EXISTING GLAZING** SCALE: 3"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT PLAN DETAILS

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT * ROBERT HUGHES * 26476 * RENEWAL DATE 08/31/25 * STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3"=1'-0"
DWG NO.	A-720.00_STOREFRONT PLAN DETAILS.DWG
CAD FILE NO.	
PAGE	41 of 66

A-720.00

K:\24\1524879.0000_DRAWINGS\D_CAD\3_SHEETS\A-720.00_STOREFRONT PLAN DETAILS.DWG | Plot Date: Jan. 15, 2025 - 11:01 AM
Last Saved By: MHAMANN | Save Date: 1/14/2025 3:47:23 PM



1 **STOREFRONT PLAN DETAIL - CAFE ENTRY** SCALE: 3"=1'-0"



2 **STOREFRONT PLAN DETAIL - CAFE ENTRY** SCALE: 3"=1'-0"



3 **STOREFRONT PLAN DETAIL - SOLID** SCALE: 3"=1'-0"

4 **STOREFRONT PLAN DETAIL - NEW CAFE GLAZING** SCALE: 3"=1'-0"

5 **STOREFRONT PLAN DETAIL - NEW CAFE GLAZING** SCALE: 3"=1'-0"

6 **STOREFRONT PLAN DETAIL - NEW CAFE GLAZING AND LL NEUTRAL PIER** SCALE: 3"=1'-0"

7 **STOREFRONT PLAN DETAIL - NOT USED** SCALE: 3"=1'-0"

8 **STOREFRONT PLAN DETAIL - NOT USED** SCALE: 3"=1'-0"

9 **STOREFRONT PLAN DETAIL - NOT USED** SCALE: 3"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEYS FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT PLAN DETAILS

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3"=1'-0"
DWG NO.	A-720.00_STOREFRONT PLAN DETAILS.DWG
	A-721.00
CAD FILE NO.	PAGE 41 of 66

K:\241524879.0000_DRAWINGS\2_CAPCI_SHEETS\A-720.00_STOREFRONT PLAN DETAILS.DWG | Plot Date: Jan. 15, 2025 - 11:00 AM
Last Saved By: MHAMANN | Save Date: 1/14/2025 3:47:23 PM



1 **STOREFRONT HEAD SECTION DETAIL - TYPICAL SALES AREA (WEST)** SCALE: 3"=1'-0"



2 **STOREFRONT HEAD SECTION DETAIL - TYPICAL SALES AREA (SOUTH)** SCALE: 3"=1'-0"



3 **STOREFRONT BASE SECTION DETAIL - TYPICAL SALES AREA (WEST)** SCALE: 3"=1'-0"



4 **STOREFRONT BASE SECTION DETAIL - TYPICAL SALES AREA (SOUTH)** SCALE: 3"=1'-0"

K:\241\524879-0000_DRAWINGS\3_CAD\2_SHEETS\A-722.00_STOREFRONT SECTION DETAILS.DWG / Plot Date: Jan. 15, 2025 - 11:02 AM
Last Saved By: MHAMANI / Save Date: 1/14/2025 3:48:29 PM

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTION DETAILS

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT
THOMAS ROBERT HUGHES
26476
8/31/25
RENEWAL DATE
STATE OF CALIFORNIA

DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3"=1'-0"
DWG NO.	A-722.00_STOREFRONT SECTION DETAILS.DWG
CAD FILE NO.	
PAGE	41 of 66

A-722.00



1 **STOREFRONT HEAD SECTION DETAIL - RETAIL ENTRANCE** SCALE: 3"=1'-0"



2 **STOREFRONT HEAD SECTION DETAIL - DISPLAY PLATFORM** SCALE: 3"=1'-0"



3 **STOREFRONT BASE SECTION DETAIL - RETAIL ENTRANCE** SCALE: 3"=1'-0"



4 **STOREFRONT BASE SECTION DETAIL - DISPLAY PLATFORM** SCALE: 3"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTION DETAILS

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3"=1'-0"
DWG NO.	A-723.00_STOREFRONT SECTION DETAILS.DWG
CAD FILE NO.	
	A-723.00
PAGE	41 of 66

K:\24\1524879.0008_DRAWINGS_CAD\2_SHEETS\A-723.00_STOREFRONT SECTION DETAILS.DWG | Plot Date: Jan. 15, 2025 - 11:00 AM
Last Saved By: MHAMANN | Save Date: 1/14/2025 3:48:29 PM



1 **STOREFRONT HEAD SECTION DETAIL - CAFE ENTRANCE** SCALE: 3"=1'-0"



2 **STOREFRONT HEAD SECTION DETAIL - CAFE** SCALE: 3"=1'-0"



3 **STOREFRONT BASE SECTION DETAIL - CAFE ENTRANCE** SCALE: 3"=1'-0"



4 **STOREFRONT BASE SECTION DETAIL - CAFE** SCALE: 3"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTION DETAILS

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3"=1'-0"
DWG NO.	A-724.00_STOREFRONT SECTION DETAILS.DWG
CAD FILE NO.	
PAGE	41 of 66

A-724.00

K:\24\1524879-00\08_DRAWINGS\2_CAD\3_SHEETS\A-722.00_STOREFRONT SECTION DETAILS.DWG | Plot Date: Jan. 15, 2025 - 11:03 AM
Last Saved By: MHAMANN | Save Date: 1/14/2025 3:48:29 PM



1 **STOREFRONT HEAD SECTION DETAIL - CAFE** SCALE: 3"=1'-0"



2 **STOREFRONT BASE SECTION DETAIL - CAFE** SCALE: 3"=1'-0"



3 **STOREFRONT BASE SECTION DETAIL - TYPICAL EXISTING AWNING** SCALE: 1 1/2"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
STOREFRONT SECTION DETAILS

FOR ARB EXHIBIT

SEAL



DATE	XX/XX/2024
PROJECT NO.	1524879-00
SCALE	3"=1'-0"
DWG NO.	A-722.00_STOREFRONT SECTION DETAILS.DWG
CAD FILE NO.	
PAGE	41 of 66

A-725.00

K:\2415\8879-0008_DRAWINGS\2_CADD_SHEETS\A-722.00_STOREFRONT SECTION DETAILS.DWG | Plot Date: Jan. 15, 2025 - 11:00 AM
Last Saved By: MHAANNI | Save Date: 1/14/2025 3:48:29 PM



1 RALPH LAUREN PRIMARY SIGNAGE ELEVATION SCALE: 1/2"=1'-0"

2 RALPH LAUREN SIDE WINDOW SIGNAGE SCALE: 1/2"=1'-0"



3 RALPH LAUREN PRIMARY SIGNAGE SCALE: 1"=1'-0"



6 RALPH'S COFFE BLADE SIGN SCALE: 1"=



4 RALPH LAUREN RETAIL ENTRY SIGNAGE SCALE: 1"=1'-0"



5 RALPH LAUREN SIDE WINDOW SIGNAGE SCALE: 1"=1'-0"



6 RALPH LAUREN PRIMARY SIGNAGE SECTION SCALE: 3"=1'-0"



7 RALPH LAUREN ENTRY SIGNAGE SECTION SCALE: 3"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
SIGNAGE DETAILS
RETAIL

FOR ARB EXHIBIT

SEAL



DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	AS SHOWN
DWG NO.	A-900.00
CAD FILE NO.	A-900.00_SIGNAGE DETAILS.DWG
PAGE	54 of 55

K:\01\1524879.0008_DRAWINGS\3_CAD\2_SHEETS\A-900.00_SIGNAGE DETAILS.DWG | Plot Date: Mar. 20, 2025 - 6:49 AM
Last Saved By: MHAHANI | Save Date: 2/20/2025 8:10:58 PM



1 RALPH LAUREN SIDE WINDOW SIGNAGE — SCALE: 1/2"=1'-0"



2 RALPH LAUREN CAFE ENTRY SIGNAGE — SCALE: 1"=1'-0"



3 RALPH LAUREN CAFE SIGNAGE — SCALE: 1"=1'-0"



4 RALPH LAUREN CAFE WINDOW SIGNAGE — SCALE: 1"=1'-0"



5 RALPH LAUREN CAFE ENTRY SIGNAGE SECTION — SCALE: 3"=1'-0"



6 RALPH LAUREN SIDE WINDOW SIGNAGE SECTION — SCALE: 3"=1'-0"



7 RALPH LAUREN CAFE WINDOW SIGNAGE SECTION — SCALE: 3"=1'-0"

RALPH LAUREN

SPACE PLAN

RALPH LAUREN
STANFORD SHOPPING CENTER
SPACE 383A



Lam+Tea Engineering

kpff

SUBMISSION FOR ARCHITECTURAL REVIEW BOARD

NO.	REVISION	DATE	BY
2	ISSUED FOR BID & PERMIT	01.10.2025	TPG
1	PROGRESS SET FOR CLIENT REVIEW	12.13.2024	TPG

TPG Architecture

TPG ARCHITECTURE, LLP
31 PENN PLAZA
132 WEST 31ST STREET, 5TH FLOOR, NEW YORK, NY 10001
212.768.0800 | TPGARCHITECTURE.COM

IN CONSIDERATION OF RECEIVING DRAWINGS FROM TPG ARCHITECTURE LLP IN AN ELECTRONIC FORM, THE RECIPIENT AGREES, TO THE FULLEST EXTENT PERMITTED BY LAW, TO HOLD HARMLESS AND INDEMNIFY TPG ARCHITECTURE LLP FROM AND AGAINST ALL CLAIMS, LIABILITIES, LOSSES, DAMAGES, AND COSTS, INCLUDING BUT NOT LIMITED TO ATTORNEY'S FEES, ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE USE, RE-USE, MIS-USE, MODIFICATION, OR MISINTERPRETATION OF THE MACHINE-READABLE INFORMATION PROVIDED BY TPG ARCHITECTURE LLP UNDER THIS AGREEMENT.

PROJECT
RALPH LAUREN
STANFORD SHOPPING CENTER
180 EL CAMINO REAL #383A, BLDG. M
PALO ALTO, CA 94304

DRAWING
SIGNAGE DETAILS
CAFE

FOR ARB EXHIBIT

SEAL

LICENSED ARCHITECT — ROBERT HUGHES — 26476 — RENEWAL DATE 08.31.25 — STATE OF CALIFORNIA

DATE	01/10/2025
PROJECT NO.	1524879-00
SCALE	AS SHOWN
DWG NO.	A-901.00
CAD FILE NO.	A-900.00_SIGNAGE DETAILS.DWG
PAGE	55 of 55

K:\24\1524879.00\8. DRAWINGS\CD_CAD\2_SHEETS\A-900.00_SIGNAGE DETAILS.DWG | Plot Date: Mar. 20, 2025 - 6:49 AM
Last Saved By: MHAHANN | Save Date: 2/20/2025 8:10:58 PM